

Foreman - Feature #362

Expose defined host list via query interface

08/11/2010 09:38 PM - Jon Fautley

Status: Closed	
Priority: Normal	
Assignee: Ohad Levy	
Category: Search	
Target version: 0.1-6	
Difficulty:	Fixed in Releases:
Triaged: No	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
RFE: Extend the query interface to provide a list of all defined hosts.	
The current setup requires specifying a fact to match on - I'd suggest making this optional, while still retaining the ability to select all/active/out-of-date hosts using the query interface.	
Related issues:	
Has duplicate Foreman - Feature #228: Query interface requires a fact or a cl...	Closed

Associated revisions

Revision 0f2c33bc - 08/15/2010 01:48 PM - Ohad Levy

fixes #362 - Expose defined host list via query interface

Revision a541cdd9 - 08/16/2010 09:30 AM - Ohad Levy

fixes #362 - query interface provides hostname only unless verbose mode is enabled... this entire code will be refactored to optimize performance.

History

#1 - 08/15/2010 01:48 PM - Ohad Levy

- Status changed from New to Ready For Testing
- % Done changed from 0 to 100

Applied in changeset [0f2c33bc4be1d03043902227c3e51b1537bfd82](#).

#2 - 08/15/2010 01:49 PM - Ohad Levy

- Assignee set to Ohad Levy
- Target version set to 0.1-6

#3 - 08/16/2010 09:59 AM - Ohad Levy

Applied in changeset [a541cdd9caa044b608db1a167de4c001df67b8b9](#).

#4 - 08/28/2010 09:40 PM - Ohad Levy

- Status changed from Ready For Testing to Closed

#5 - 10/16/2018 01:32 PM - Tomer Brisker

- Category changed from 19 to Search