# Katello - Bug #37052

## Wrong tracer types for debian / suse

01/15/2024 10:00 AM - Bernhard Suttner

| | | | |
|---|---|---|---|
| **Status:** | Closed | | |
| **Priority:** | Normal | | |
| **Assignee:** | Bernhard Suttner | | |
| **Category:** | Client/Agent | | |
| **Target version:** | Katello 4.12.0 | | |
| **Difficulty:** | | **Fixed in Releases:** | |
| **Triaged:** | Yes | **Found in Releases:** | |
| **Bugzilla link:** | | **Red Hat JIRA:** | |
| **Pull request:** | https://github.com/Katello/katello-host-tools/pull/151 | | |

### Description

The debian / suse tracer are using the wrong tracer types.
Instead of systemd is should be deamon.

## Associated revisions

**Revision ca8a292f - 03/01/2024 04:17 PM - Bernhard Suttner**

Fixes #37052 - Use correct tracer types

## History

**#1 - 01/15/2024 10:01 AM - The Foreman Bot**

*- Status changed from New to Ready For Testing*

*- Assignee set to Bernhard Suttner*

*- Pull request https://github.com/Katello/katello-host-tools/pull/151 added*


**#2 - 01/17/2024 06:48 PM - Quinn James**

*- Category set to Client/Agent*

*- Target version set to Katello 4.12.0*

*- Triaged changed from No to Yes*


**#3 - 03/01/2024 05:00 PM - Anonymous**

*- Status changed from Ready For Testing to Closed*

Applied in changeset katello-host-tools|ca8a292f5dfcce5f784c15b6c6107e2ed54fc60c.