

## Katello - Feature #37416

### Set default templates for Debian/Suse based systems

05/08/2024 10:24 AM - Bernhard Suttner

<b>Status:</b> Ready For Testing	
<b>Priority:</b> Normal	
<b>Assignee:</b> Bernhard Suttner	
<b>Category:</b> Hosts	
<b>Target version:</b> Katello Next	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b> Yes	<b>Found in Releases:</b>
<b>Bugzilla link:</b>	<b>Red Hat JIRA:</b>
<b>Pull request:</b> <a href="https://github.com/Katello/katello/pull/10990">https://github.com/Katello/katello/pull/10990</a>	
<b>Description</b> Currently, if Operatingsystems are created, only for RHEL based systems the templates are assigned. It would be nice to have something similar for Debian/Suse based systems.	

#### History

##### #1 - 05/08/2024 10:25 AM - The Foreman Bot

- Status changed from New to Ready For Testing
- Assignee set to Bernhard Suttner
- Pull request <https://github.com/Katello/katello/pull/10990> added

##### #2 - 05/08/2024 05:41 PM - Partha Aji

- Target version set to Katello Next
- Triaged changed from No to Yes

##### #3 - 05/08/2024 05:41 PM - Partha Aji

- Category set to Hosts