

Foreman - Feature #3825

Load Rackspace datacenters dynamically

12/05/2013 04:32 PM - Lukas Zapletal

| | |
|--|-----------------------------|
| Status: New | |
| Priority: Normal | |
| Assignee: | |
| Category: Compute resources - Rackspace | |
| Target version: | |
| Difficulty: | Fixed in Releases: |
| Triaged: | Found in Releases: |
| Bugzilla link: | Red Hat JIRA: |
| Pull request: | |
| Description Currently Rackspace datacenters are hardcoded in our codebase. We want to load this from Rackspace similar way we do with EC2. | |
| Related issues: | |
| Related to Foreman - Bug #3822: Update Rackspace datacenters | Closed 12/05/2013 |
| Has duplicate Foreman - Bug #4029: All regions aren't available to a single R... | Duplicate 01/15/2014 |

History

#1 - 12/05/2013 04:36 PM - Dominic Cleal

- Related to Bug #3822: Update Rackspace datacenters added

#2 - 09/26/2014 07:21 AM - Dominic Cleal

- Has duplicate Bug #4029: All regions aren't available to a single Rackspace user added

#3 - 09/26/2014 07:22 AM - Dominic Cleal

- Category changed from Compute resources to Compute resources - Rackspace