

## Foreman - Feature #3848

### Matcher value for smart variables against array

12/11/2013 12:07 AM - Laurent Domb

<b>Status:</b> New	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Category:</b> Parameters	
<b>Target version:</b>	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b>	<b>Found in Releases:</b>
<b>Bugzilla link:</b>	<b>Red Hat JIRA:</b>
<b>Pull request:</b>	
<b>Description</b> It would be nice if the matcher for smart variable would take and array as a comparing value.  for example something like  is \$foo in ['foo', 'bar', 'foobar']  Currently it seems only possible to compare a single value.  I think this goes kind of into the same direction as request 3636 Regex support.	
<b>Related issues:</b>	
Related to Foreman - Feature #3636: Regex support in matcher-values of smart ...	<b>New</b> <b>11/12/2013</b>
Related to Foreman - Tracker #4470: Usability of parameters and overrides	<b>New</b>

### History

#### #1 - 12/11/2013 09:59 AM - Dominic Cleal

- Related to Feature #3636: Regex support in matcher-values of smart variables and parameters added

#### #2 - 08/27/2014 07:23 AM - The Foreman Bot

- Status changed from New to Ready For Testing

- Target version set to 1.7.4

- Pull request <https://github.com/theforeman/foreman/pull/1715> added

#### #3 - 09/02/2014 04:12 AM - Ori Rabin

- Assignee set to Ori Rabin

#### #4 - 09/10/2014 07:19 AM - Anonymous

- Target version changed from 1.7.4 to 1.7.3

#### #5 - 09/30/2014 10:33 AM - Dominic Cleal

- Target version changed from 1.7.3 to 1.7.2

#### #6 - 10/07/2014 02:31 AM - Ori Rabin

- Status changed from Ready For Testing to Assigned

- Pull request added

- Pull request deleted (<https://github.com/theforeman/foreman/pull/1715>)

#### #7 - 03/16/2015 10:11 AM - Tom Caspy

- Related to Tracker #4470: Usability of parameters and overrides added

**#8 - 08/31/2016 07:05 AM - Ori Rabin**

- *Status changed from Assigned to New*
- *Assignee deleted (Ori Rabin)*
- *Target version deleted (1.7.2)*