Foreman - Bug #3876

API find_resource by name finds by ID instead when first character of name is a digit

12/13/2013 08:35 PM - Og Maciel

Status: Closed

Assignee: Joseph Magen

Normal

Category: API
Target version: 1.5.0

Difficulty: Fixed in Releases:
Triaged: Found in Releases:
Bugzilla link: Red Hat JIRA:

Pull request:

Priority:

Description

Noticed that every now and than the Info subcommand for Model returns incorrect results:

Ran 2 tests in 3.636s

FAILED (failures=1)

Noticed that the model name is 2ez0obdv but Info returns a model whose name is nz1e.

Packages:

- rubygem-hammer_cli_foreman-0.0.12-1.el6.noarch
- rubygem-hammer_cli-0.0.12-1.el6.noarch

Related issues:

Related to Hammer CLI - Bug #3954: Info commands must always use IDs instead ... Closed

Associated revisions

Revision 823d4e1b - 02/21/2014 04:29 PM - Joseph Magen

fixes #3876 - API find_resource by name even if name starts with integer

History

#1 - 12/13/2013 08:37 PM - Anonymous

- Assignee set to Martin Bacovsky

#2 - 12/13/2013 08:47 PM - Og Maciel

05/10/2024 1/3

01/07/2014

[root@qetello02 ~]# hammer model list --per-page=10000 HW MODEL | VENDOR CLASS | NAME | Ogzktycs | 31 | 1yzw1 | 19 | 2ez0obdv | 34 | vafqv7gd | 6oymg9y | 6 | ewpon | 7if2cka | 12 | 5h207 | 7wjru7 | 15 | 810qi | 25 | 8kat4ujn | 5 | maeilu7 | at2qr4v4 | 22 | ax1jm | 32 | b7lml 1 33 | cpqkluf | 29 | d30g | 21 | fdbc0a | 23 | idocua | 23 | ilmyu49 | 11 | i9or0 | 13 | y6fely | ikbi 1 38 | iv7llawa | 3 | jqbuy | 36 | v0fd3dmi | 27 | jvser | lt08ex | 37 | cq8vh5 | 14 | m0pp | 4du0n8k | me7f2y | 9 | mhkko | 7f0tej | 16 | mycds81 | morcok51 | 10 | n68mf8wa | 35 6cqf6d | naw0 | 18 | nz1e | pxz8mhl | 26 | wju8tjp | q5kpe 1 8 | qyihyfi | 28 | royja7r7 | 4 | 23con299 | yy59vr | 30 | pn6e41 | zga39b | 20 | zwn6c | 24 | dtpq [root@qetello02 ~] # hammer model list --per-page=10000 | grep 2ez0obdv | 2ez0obdv | vafqv7gd | 34 [root@qetello02 ~] # LANG=en_US hammer -u admin -p changeme --output csv model info --name='2ez0obdv' Id, Name, Vendor class, HW model, Info, Created at, Updated at 2, nzle, "", "", --hardware-model, 2013/12/13 16:21:53, 2013/12/13 16:21:53 #3 - 01/02/2014 08:15 PM - Og Maciel

```
# hammer -u admin -p changeme --output csv model list --search='name="8m74euv"'
Id, Name, Vendor class, HW model
15,8m74euv,"",""
Started GET "/api/models?search=name%3D%228m74euv%22&per_page=20&page=1" for 127.0.0.1 at 2014-01-02 15:14:10
-0.500
Processing by Api::V2::ModelsController#index as JSON
  \label{eq:parameters: parameters: { "search" => "name = \ "8m74euv \ "", "per_page" => "20", "page" => "1", "apiv" => "v2", "model" => { } } } \\
Authorized user admin(Admin User)
 Rendered api/v2/models/index.rabl within api/v2/layouts/index_layout (3.3ms)
Completed 200 OK in 32ms (Views: 4.1ms | ActiveRecord: 13.5ms)
# hammer -u admin -p changeme --output csv model info --name='8m74euv'
Id, Name, Vendor class, HW model, Info, Created at, Updated at
8, foo, "", "", 2014/01/02 16:45:12, 2014/01/02 16:45:12
Started GET "/api/models/8m74euv" for 127.0.0.1 at 2014-01-02 15:14:14 -0500
Processing by Api::V2::ModelsController#show as JSON
 Parameters: {"apiv"=>"v2", "id"=>"8m74euv", "model"=>{}}
Authorized user admin(Admin User)
 Rendered api/v2/models/show.rabl (1.4ms)
Completed 200 OK in 28ms (Views: 2.1ms | ActiveRecord: 14.0ms)
```

05/10/2024 2/3

#4 - 01/02/2014 08:32 PM - Dominic Cleal

- Project changed from Hammer CLI to Foreman
- Category set to API
- Assignee deleted (Martin Bacovsky)

Hammer's using the model's name in the GET /models/:id, but Foreman's then interpreting the name as an ID, taking the first digit of the name to be the ID (e.g. the example in comment 3 shows it returns ID 8 as the name starts with a '8').

There's definitely an API bug here, since an ID with mixed digits and letters should always be interpreted as a name. However I'm wondering now about cases where we have names passed that are purely numeric, should Hammer cope with these? (Do we need a better API, or for Hammer to always use searches first?)

I'm reassigning this bug to core/API, but Martin/Tomas, please clone/create a new one if you agree with the above concern.

#5 - 01/02/2014 08:48 PM - Dominic Cleal

- Subject changed from hammer model info sporadically returns incorrect data to API find_resource by name finds by ID instead when first character of name is a digit

#6 - 01/07/2014 09:37 AM - Tomáš Strachota

I agree this is an api bug. I don't think there's a reliable way to pass both names and ids in one parameter. We need to perform searches in hammer. Created #3954.

#7 - 01/09/2014 03:00 PM - Dominic Cleal

- Target version set to 1.9.2

#8 - 01/10/2014 10:01 AM - Tomáš Strachota

- Related to Bug #3954: Info commands must always use IDs instead of names in api calls added

#9 - 02/06/2014 12:09 PM - Joseph Magen

- Status changed from New to Assigned
- Assignee set to Joseph Magen
- Target version changed from 1.9.2 to 1.9.1

#10 - 02/17/2014 04:24 PM - Joseph Magen

- Status changed from Assigned to Ready For Testing

https://github.com/theforeman/foreman/pull/1236

#11 - 02/21/2014 04:26 PM - Dominic Cleal

- translation missing: en.field_release set to 4

#12 - 02/21/2014 05:31 PM - Joseph Magen

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Applied in changeset 823d4e1bdb3f05d78ac60c7046281cfb588a83fc.

05/10/2024 3/3