

Foreman - Bug #3946

Non explicit error of Foreman crashes when no domain is setup on the host

01/05/2014 04:00 PM - Romain Vrignaud

Status: Closed	
Priority: Normal	
Assignee:	
Category: Settings	
Target version: 1.5.0	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
<p>When no domain / fqdn properly setup, Foreman crashes with an non explicit error:</p>	
<pre>bundle exec rake db:seed --trace (in /home/fitzdsl/work/foreman)</pre>	
<ul style="list-style-type: none">• Invoke db:seed (first_time)• Execute db:seed• Invoke db:abort_if_pending_migrations (first_time)• Invoke environment (first_time)• Execute environment	
<p>[deprecated] l18n.enforce_available_locales will default to true in the future. If you really want to skip validation of your locale you can set l18n.enforce_available_locales = false to avoid this message.</p>	
<pre>rake aborted! Validation failed: Value must be a valid URI /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.15/lib/active_record/validations.rb:56:in `save!' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.15/lib/active_record/attribute_methods/dirty.rb:33:in `save!' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.15/lib/active_record/transactions.rb:264:in `block in save!' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.15/lib/active_record/transactions.rb:313:in `block in with_transaction_returning_status' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.15/lib/active_record/connection_adapters/abstract/database_statements.rb:192:in `transaction' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.15/lib/active_record/transactions.rb:208:in `transaction' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.15/lib/active_record/transactions.rb:311:in `with_transaction_returning_status' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.15/lib/active_record/transactions.rb:264:in `save!' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.15/lib/active_record/validations.rb:41:in `create!' /home/fitzdsl/work/foreman/app/models/setting.rb:162:in `create!' /home/fitzdsl/work/foreman/app/models/setting/general.rb:21:in `block (2 levels) in load_defaults' /home/fitzdsl/work/foreman/app/models/setting/general.rb:12:in `each' /home/fitzdsl/work/foreman/app/models/setting/general.rb:12:in `block in load_defaults' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.15/lib/active_record/connection_adapters/abstract/database_statements.rb:192:in `transaction' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.15/lib/active_record/transactions.rb:208:in `transaction' /home/fitzdsl/work/foreman/app/models/setting/general.rb:9:in `load_defaults' /home/fitzdsl/work/foreman/config/initializers/foreman.rb:18:in `each' /home/fitzdsl/work/foreman/config/initializers/foreman.rb:18:in `<top (required)>' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.15/lib/active_support/dependencies.rb:245:in `load' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.15/lib/active_support/dependencies.rb:245:in `block in load' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.15/lib/active_support/dependencies.rb:236:in `load_dependency' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.15/lib/active_support/dependencies.rb:245:in `load' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/railties-3.2.15/lib/rails/engine.rb:593:in `block (2 levels) in <class:Engine>' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/railties-3.2.15/lib/rails/engine.rb:592:in `each' /home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/railties-3.2.15/lib/rails/engine.rb:592:in `block in <class:Engine>'</pre>	

```

/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/railties-3.2.15/lib/rails/initializable.rb:30:in `instance_exec'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/railties-3.2.15/lib/rails/initializable.rb:30:in `run'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/railties-3.2.15/lib/rails/initializable.rb:55:in `block in run_initializers'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/railties-3.2.15/lib/rails/initializable.rb:54:in `each'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/railties-3.2.15/lib/rails/initializable.rb:54:in `run_initializers'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/railties-3.2.15/lib/rails/application.rb:136:in `initialize!'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/railties-3.2.15/lib/rails/railtie/configurable.rb:30:in `method_missing'
/home/fitzdsl/work/foreman/config/environment.rb:5:in `'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.15/lib/active_support/dependencies.rb:251:in `require'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.15/lib/active_support/dependencies.rb:251:in `block in require'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.15/lib/active_support/dependencies.rb:236:in
`load_dependency'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.15/lib/active_support/dependencies.rb:251:in `require'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/railties-3.2.15/lib/rails/application.rb:103:in `require_environment!'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/railties-3.2.15/lib/rails/application.rb:305:in `block (2 levels) in
initialize_tasks'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:236:in `call'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:236:in `block in execute'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:231:in `each'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:231:in `execute'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:175:in `block in invoke_with_call_chain'
/home/fitzdsl/.rbenv/versions/1.9.3-p484/lib/ruby/1.9.1/monitor.rb:211:in `mon_synchronize'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:168:in `invoke_with_call_chain'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:197:in `block in invoke_prerequisites'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:195:in `each'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:195:in `invoke_prerequisites'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:174:in `block in invoke_with_call_chain'
/home/fitzdsl/.rbenv/versions/1.9.3-p484/lib/ruby/1.9.1/monitor.rb:211:in `mon_synchronize'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:168:in `invoke_with_call_chain'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:161:in `invoke'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.15/lib/active_record/railties/databases.rake:346:in `block (2
levels) in <top (required)>'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:236:in `call'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:236:in `block in execute'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:231:in `each'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:231:in `execute'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:175:in `block in invoke_with_call_chain'
/home/fitzdsl/.rbenv/versions/1.9.3-p484/lib/ruby/1.9.1/monitor.rb:211:in `mon_synchronize'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:168:in `invoke_with_call_chain'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/task.rb:161:in `invoke'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/application.rb:149:in `invoke_task'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/application.rb:106:in `block (2 levels) in top_level'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/application.rb:106:in `each'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/application.rb:106:in `block in top_level'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/application.rb:115:in `run_with_threads'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/application.rb:100:in `top_level'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/application.rb:78:in `block in run'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/application.rb:165:in `standard_exception_handling'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/lib/rake/application.rb:75:in `run'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/gems/rake-10.1.0/bin/rake:33:in `'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/bin/rake:23:in `load'
/home/fitzdsl/work/foreman/vendor/ruby/1.9.1/bin/rake:23:in `'
Tasks: TOP => db:abort_if_pending_migrations => environment

```

Associated revisions

Revision 7bf51a3d - 04/01/2014 08:48 AM - Maria Nita

fixes #3946 Set host URLs from local settings file, if no Factor configuration exists. Add default values for settings example.

History

#1 - 03/23/2014 09:15 PM - Maria Nita

Patch submitted <https://github.com/foreman/foreman/pull/1316>

#2 - 03/24/2014 08:12 AM - Dominic Cleal

- *Category set to Settings*
- *Status changed from New to Ready For Testing*
- *Target version set to 1.9.0*

#3 - 03/26/2014 12:58 PM - Anonymous

- *Target version changed from 1.9.0 to 1.8.4*

#4 - 04/01/2014 08:48 AM - Dominic Cleal

- *translation missing: en.field_release set to 4*

#5 - 04/01/2014 09:31 AM - Maria Nita

- *Status changed from Ready For Testing to Closed*
- *% Done changed from 0 to 100*

Applied in changeset [7bf51a3d28af88bb5b24256439ba281ff30dfa87](#).