Smart Proxy - Bug #3995

pending certificates don't get deleted with puppet 3.x

01/11/2014 12:44 AM - Anonymous

Status: Rejected **Priority:** Normal Assignee: Category: **Puppet**

Fixed in Releases:

Target version:

Difficulty: Triaged: No Found in Releases:

Bugzilla link: Red Hat JIRA:

Pull request: Description

Puppet 2.7: puppetca --clean <fqdn>

Puppet 3.0: puppet ca destroy <fqdn>, while puppet ca clean <fqdn> does not work for CSRs

Related issues:

Related to Smart Proxy - Feature #19066: Use Puppetserver's CA API instead of... **Duplicate**

Has duplicate Foreman - Bug #14304: Delete a certificate that what not alread... **Duplicate** 03/21/2016 Has duplicate Foreman - Bug #14543: PupeptCA Smart Proxy should "rm" certific... **Duplicate** 04/08/2016

History

#1 - 01/11/2014 09:58 PM - Anonymous

With Puppet 3.4.2:

```
# puppet cert list
  "tmptst" (SHA256) C4:92:8B:FE:80:4B:BA:B3:D8:17:AA:FD:15:83:FA:55:D5:99:BF:78:2A:B0:86:18:69:F0:53:9A:CE:2A:
D1:9F
# puppet cert clean tmptst
Error: Could not find a serial number for tmptst
# puppet ca destroy tmptst
Notice: Removing file Puppet::SSL::CertificateRequest tmptst at '/var/lib/puppet/ssl/ca/requests/tmptst.pem'
# puppet ca destroy tmptst.test.xxx.de
Notice: Removing file Puppet::SSL::Certificate tmptst.test.xxx.de at '/var/lib/puppet/ssl/ca/signed/tmptst.tes
t.xxx.de.pem'
Deleted for tmptst.test.xxx.de: Puppet::SSL::Certificate
# puppet cert clean tmptst.test.xxx.de
Notice: Revoked certificate with serial 6
```

#2 - 11/04/2014 05:30 AM - cristian falcas

I was wondering if this issue will be fixed any time soon. It will be nice to delete pending certificates from foreman.

#3 - 11/04/2014 06:21 PM - Anonymous

I'll have a look at that, as soon as I have more time. If it's a big problem for you, please yell and I try to find somebody else.

#4 - 11/10/2014 05:42 AM - Anonymous

My inital description was wrong, here the correct one:

```
Puppet 2.7: puppetca --clean <fqdn>
Puppet 3.0: puppet ca destroy <fqdn>, while puppet cert clean <fqdn> does not work for CSRs
```

#5 - 11/10/2014 05:42 AM - Anonymous

Puppet Issue: https://tickets.puppetlabs.com/browse/PUP-1916

#6 - 03/22/2016 04:09 AM - Dominic Cleal

05/10/2024 1/2

#7 - 04/01/2016 12:45 PM - Alex Fisher

I bumped into this too whilst testing the smart proxy with puppet 4 (which needs a couple of small mods to work BTW).

```
D, [2016-04-01T17:14:22.445450 #12164] DEBUG -- : accept: 10.160.248.69:40418
D, [2016-04-01T17:14:22.447119 #12164] DEBUG -- : Rack::Handler::WEBrick is invoked.
D, [2016-04-01T17:14:22.448015 #12164] DEBUG -- : verifying remote client 10.160.248.69 against trusted_hosts
["host1.example.com", "host2.example.com"]
D, [2016-04-01T17:14:22.448367 #12164] DEBUG -- : Found puppetca at /opt/puppetlabs/bin/puppet
D, [2016-04-01T17:14:22.448461 #12164] DEBUG -- : Found sudo at /usr/bin/sudo
D, [2016-04-01T17:14:22.448516 #12164] DEBUG --: Executing /usr/bin/sudo -S /opt/puppetlabs/bin/puppet cert -
-ssldir /etc/puppetlabs/puppet/ssl --clean host.dmz.local
I, [2016-04-01T17:14:24.164223 #12164] INFO --: Attempt to remove nonexistent client certificate for host.dm
z.local
E, [2016-04-01T17:14:24.164510 #12164] ERROR -- : Attempt to remove nonexistent client certificate for host.dm
z.local
D, [2016-04-01T17:14:24.164560 #12164] DEBUG --: Attempt to remove nonexistent client certificate for host.dm
z.local
I, [2016-04-01T17:14:24.164864 #12164] INFO --: 10.160.248.69 -- [01/Apr/2016:17:14:24 +0100] "DELETE /pupp
et/ca/host.dmz.local HTTP/1.1" 404 68 1.7171
puppet cert clean certname
```

won't remove unsigned certificate requests.

but

puppet ca destroy certname

does.

I'm not sure what versions of puppet support that command though.

#8 - 04/08/2016 05:02 AM - Dominic Cleal

- Has duplicate Bug #14543: PupeptCA Smart Proxy should "rm" certificate request files added

#9 - 04/27/2016 10:39 AM - Alex Fisher

I'm confused as to what version of puppet I actually tested 'puppet ca destroy' in...

Apparently not a version of puppet 4 though.

As https://tickets.puppetlabs.com/browse/PUP-6179 has only just been fixed.

Either way, in puppet 4.4.2 'puppet ca destroy' can be used successfully.

```
[root@devops01 ~]# puppet --version
4.4.2
[root@devops01 ~]# puppet cert list
   "devops02.example.com" (SHA256) 19:47:28:8C:E9:D6:CF:49:50:31:00:CF:C4:94:E6:7E:F6:F8:65:F4:2C:B7:62:E5:0A:E
4:12:EF:88:6A:D6:75
[root@devops01 ~]# puppet cert destroy "devops02.example.com"
Error: Could not find a serial number for devops02.example.com
[root@devops01 ~]# puppet cert clean "devops02.example.com"
Error: Could not find a serial number for devops02.example.com
[root@devops01 ~]# puppet ca destroy "devops02.example.com"
Notice: Removing file Puppet::SSL::CertificateRequest devops02.example.com at '/etc/puppetlabs/puppet/ssl/ca/r equests/devops02.example.com: Puppet::SSL::CertificateRequest
[root@devops01 ~]# puppet cert list
[root@devops01 ~]# puppet cert list
[root@devops01 ~]# puppet cert list
[root@devops01 ~]#
```

#10 - 03/29/2017 05:26 AM - Anonymous

- Related to Feature #19066: Use Puppetserver's CA API instead of CLI commands added

#11 - 06/05/2019 08:07 PM - Anonymous

- Assignee deleted (Anonymous)

#12 - 06/06/2019 02:20 PM - Ewoud Kohl van Wijngaarden

- Status changed from New to Rejected

This can be closed given we're going to drop Puppet 3 and it works with newer versions.

05/10/2024 2/2