Foreman - Bug #4203

When using a compute resource, additional NICs don't work.

01/28/2014 02:08 PM - Pierig Le Saux

Status:	Resolved	
Priority:	Normal	
Assignee:		
Category:	Network	
Target version:		
Difficulty:		**Fixed in Releases:**
Triaged:		**Found in Releases:**
Bugzilla link:		**Red Hat JIRA:**
Pull request:		

Description

When I create a new host with multiple NICs, using ovirt or vcenter as a compute resource, the additional NICs disappear from the "network" tab when I click the submit button. I am not filling in the mac address field, since at this point I don't know it yet.

Once the VM is created in the hypervisor successfully, I need to copy and paste the additional NICs mac addresses back from the hypervisor back to foreman. Only then, the additional NICs are saved successfully.

Applies to versions:
-Foreman 1.3.2-1 rpm on CentOS 6.5 (I am almost convinced this worked in earlier versions of Foreman)
-Multiple versions of vcenter and ESX hosts.
-oVirt 3.3.2

Related issues:

Related to Foreman - Tracker #2409: Networking	**New**

History

#1 - 09/16/2014 09:14 AM - Marek Hulán

- Related to Tracker #2409: Networking added

#2 - 03/05/2015 08:46 AM - Marek Hulán

- Category set to Network

- Status changed from New to Need more information

Could you please retest with current nightly (or Foreman 1.8 when released) as this should be fixed there.

#3 - 03/05/2015 09:45 AM - Dominic Cleal

- Status changed from Need more information to Feedback

#4 - 05/17/2017 10:23 AM - Anonymous

- Status changed from Feedback to Resolved

no reaction, closing