# Installer - Bug #4225

## 1.4.0 installer doesn't remove default.conf from apache on deb systems

01/30/2014 02:31 PM - Greg Sutcliffe

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	External modules	
Target version:		
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:		

### Description

The current installer leaves 15-default.conf in the apache config. This has the effect of breaking the http->https redirect we expect from Foreman, and also impacts provisioning, which tradtionally operates on http. Instead, you get the standard apache welcome page

I've confirmed that deleting 15-default.conf and restarting apache works. I'm just not entirely sure yet how to make it go away in the pl-apache module. Input welcome.

#### **Associated revisions**

### Revision bce6ed78 - 02/01/2014 11:36 AM - Greg Sutcliffe

Fixes #4225 - Use alphanumeric ordering for vhosts

## History

## #1 - 01/30/2014 03:23 PM - Greg Sutcliffe

- Status changed from New to Ready For Testing

https://github.com/theforeman/puppet-foreman/pull/151

### #2 - 02/03/2014 09:53 AM - Anonymous

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

 $Applied \ in \ changes et \ puppet-foreman | commit: bce 6ed 78 fe 859c 8445a 28 de a 66 ebb 1 ad 4721 f 66b.$ 

05/19/2024 1/1