

Foreman - Bug #4319

Parameter with no value is not persisted in hostgroup

02/11/2014 11:40 PM - Libor Zoubek

Status: Duplicate	
Priority: Normal	
Assignee:	
Category:	
Target version:	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description Steps: 1. have a hostgroup 2. on parameters tab, create pparam "test" without value 3. save 4. open hostgroup again Actual results: "test" is not there Expected results: "test" is there with empty/no value	
Related issues: Has duplicate Foreman - Feature #215: Allow blank values for parameters Closed 04/16/2010	

History

#1 - 02/12/2014 06:37 AM - Ohad Levy

- Has duplicate Feature #215: Allow blank values for parameters added

#2 - 02/12/2014 06:38 AM - Ohad Levy

- Status changed from New to Duplicate

#3 - 06/20/2014 04:11 PM - David Davis

- Related to Bug #6317: rake katello:reindex fails with NoMethodError: undefined method `delete_index' for Katello::PuppetModule:Class added

#4 - 06/20/2014 04:13 PM - David Davis

- Related to deleted (Bug #6317: rake katello:reindex fails with NoMethodError: undefined method `delete_index' for Katello::PuppetModule:Class)