

## Foreman - Bug #4375

### Kickstart provisioning is on a loop when using compute profiles with oVirt Compute Resource.

02/18/2014 10:38 AM - Gaël Chamoulaud

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>		
<b>Category:</b>	Compute resources - oVirt	
<b>Target version:</b>	1.6.0	
<b>Difficulty:</b>		<b>Fixed in Releases:</b>
<b>Triaged:</b>		<b>Found in Releases:</b>
<b>Bugzilla link:</b>	1112169	<b>Red Hat JIRA:</b>
<b>Pull request:</b>	<a href="https://github.com/theforeman/foreman/pull/1741">https://github.com/theforeman/foreman/pull/1741</a>	

#### Description

I've got this issue on /var/log/foreman/production.log

```
Started GET "/unattended/built?token=54aac0b7-a760-49f6-b528-328c963a067d" for 10.23.45.36 at 2014-02-18 10:24:07 +0100
Processing by UnattendedController#built as */*
  Parameters: {"token"=>"54aac0b7-a760-49f6-b528-328c963a067d"}
Found testgchamoul.lab.services.ingenico.com
unattended: testgchamoul.lab.services.ingenico.com is Built!
Update Compute instance for testgchamoul.lab.services.ingenico.com
Failed to update a compute sysrhev01 (oVirt) instance testgchamoul.lab.services.ingenico.com: Network interface is already in use./opt/rh/ruby193/root/usr/share/gems/gems/rbovirt-0.0.21/lib/rbovirt.rb:148:in `handle_fault'
/opt/rh/ruby193/root/usr/share/gems/gems/rbovirt-0.0.21/lib/rbovirt.rb:91:in `rescue in http_post'
/opt/rh/ruby193/root/usr/share/gems/gems/rbovirt-0.0.21/lib/rbovirt.rb:88:in `http_post'
/opt/rh/ruby193/root/usr/share/gems/gems/rbovirt-0.0.21/lib/client/vm_api.rb:54:in `add_interface'
/opt/rh/ruby193/root/usr/share/gems/gems/fog-1.19.0/lib/fog/ovirt/requests/compute/add_interface.rb:9:in `add_interface'
/opt/rh/ruby193/root/usr/share/gems/gems/fog-1.19.0/lib/fog/ovirt/models/compute/server.rb:57:in `add_interface'
/usr/share/foreman/app/models/compute_resources/foreman/model/ovirt.rb:258:in `block in update_interfaces'
/usr/share/foreman/app/models/compute_resources/foreman/model/ovirt.rb:256:in `each'
/usr/share/foreman/app/models/compute_resources/foreman/model/ovirt.rb:256:in `update_interfaces'
/usr/share/foreman/app/models/compute_resources/foreman/model/ovirt.rb:144:in `save_vm'
/usr/share/foreman/app/models/concerns/orchestration/compute.rb:147:in `setComputeUpdate'
/usr/share/foreman/app/models/concerns/orchestration.rb:148:in `execute'
/usr/share/foreman/app/models/concerns/orchestration.rb:88:in `block in process'
/usr/share/foreman/app/models/concerns/orchestration.rb:80:in `each'
/usr/share/foreman/app/models/concerns/orchestration.rb:80:in `process'
/usr/share/foreman/app/models/concerns/orchestration.rb:18:in `on_save'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:638:in `_run__2747178915725724864__save__3710355647622919080__callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:405:in `__run_callback'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:385:in `_run_save_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:81:in `run_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:264:in `create_or_update'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/persistence.rb:84:in `save'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/validations.rb:50:in
```

```
`save'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/attribute_methods/di
rty.rb:22:in `save'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:241:
in `block (2 levels) in save'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:295:
in `block in with_transaction_returning_status'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/
abstract/database_statements.rb:192:in `transaction'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:208:
in `transaction'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:293:
in `with_transaction_returning_status'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:241:
in `block in save'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:252:
in `rollback_active_record_state!'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:240:
in `save'
/usr/share/foreman/app/models/concerns/foreman/sti.rb:29:in `save_with_type'
/usr/share/foreman/app/models/host/managed.rb:202:in `built'
/usr/share/foreman/app/controllers/unattended_controller.rb:39:in `built'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/implicit_ren
der.rb:4:in `send_action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/base.rb:167:in `
process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/rendering.rb
:10:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/callbacks.rb:18:
in `block in process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:560:i
n `block (3 levels) in _run__2725404715817051424__proce
      ss_action__2262777391058119822__callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:215:i
n `block in _conditional_callback_around_5484'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:326:i
n `around'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:310:i
n `_callback_around_813'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:214:i
n `_conditional_callback_around_5484'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:526:i
n `block (2 levels) in _run__2725404715817051424__proce
      ss_action__2262777391058119822__callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:215:i
n `block in _conditional_callback_around_5483'
/usr/share/foreman/app/models/concerns/foreman/thread_session.rb:33:in `clear_thread'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:214:i
n `_conditional_callback_around_5483'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:415:i
n `block in _run__2725404715817051424__process_action__
      2262777391058119822__callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:215:i
n `block in _conditional_callback_around_5482'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:326:i
n `around'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:310:i
n `_callback_around_13'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:214:i
n `_conditional_callback_around_5482'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:414:i
n `_run__2725404715817051424__process_action__226277739
      1058119822__callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:405:i
n `__run_callback'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:385:i
n `_run_process_action_callbacks'
```

```
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:81:in
`run_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/callbacks.rb:17:
in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/rescue.rb:29
:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/instrumentat
ion.rb:30:in `block in process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/notifications.rb:1
23:in `block in instrument'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/notifications/inst
rumenter.rb:20:in `instrument'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/notifications.rb:1
23:in `instrument'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/instrumentat
ion.rb:29:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/params_wrapp
er.rb:207:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/railties/controller_
runtime.rb:18:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/base.rb:121:in `
process'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/rendering.rb:45:
in `process'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal.rb:203:in `d
ispatch'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/rack_delegat
ion.rb:14:in `dispatch'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal.rb:246:in `b
lock in action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb
:73:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb
:73:in `dispatch'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb
:36:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/journey-1.0.4/lib/journey/router.rb:68:in `block in call'
/opt/rh/ruby193/root/usr/share/gems/gems/journey-1.0.4/lib/journey/router.rb:56:in `each'
/opt/rh/ruby193/root/usr/share/gems/gems/journey-1.0.4/lib/journey/router.rb:56:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb
:600:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/apipie-rails-0.0.23/lib/apipie/static_dispatcher.rb:56:in
`call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/best_stan
dards_support.rb:17:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/etag.rb:23:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/conditionalget.rb:25:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/head.rb:1
4:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/params_pa
rser.rb:21:in `call'
/usr/share/foreman/lib/middleware/catch_json_parse_errors.rb:9:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/flash.rb:
242:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/session/abstract/id.rb:205:in `contex
t'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/session/abstract/id.rb:200:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/cookies.r
b:339:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/query_cache.rb:64:in
`call'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/
abstract/connection_pool.rb:473:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/callbacks
.rb:28:in `block in call'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:405:i
n `_run__3099084619475464420__call__3710355647622919080
```

```

__callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:405:in `__run_callback'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:385:in `_run_call_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:81:in `run_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/callbacks.rb:27:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/remote_ip.rb:31:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/debug_exceptions.rb:16:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/show_exceptions.rb:56:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/rack/logger.rb:26:in `call_app'
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/rack/logger.rb:16:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/request_id.rb:22:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/methodoverride.rb:21:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/runtime.rb:17:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/cache/strategy/local_cache.rb:72:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/lock.rb:15:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/static.rb:62:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:136:in `forward'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:245:in `fetch'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:185:in `lookup'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:66:in `call!'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:51:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/engine.rb:479:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/application.rb:223:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/railtie/configurable.rb:30:in `method_missing'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/builder.rb:134:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/urlmap.rb:64:in `block in call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/urlmap.rb:49:in `each'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/urlmap.rb:49:in `call'
/usr/lib/ruby/gems/1.8/gems/passenger-4.0.5/lib/phusion_passenger/rack/thread_handler_extension.rb:77:in `process_request'
/usr/lib/ruby/gems/1.8/gems/passenger-4.0.5/lib/phusion_passenger/request_handler/thread_handler.rb:140:in `accept_and_process_next_request'
/usr/lib/ruby/gems/1.8/gems/passenger-4.0.5/lib/phusion_passenger/request_handler/thread_handler.rb:108:in `main_loop'
/usr/lib/ruby/gems/1.8/gems/passenger-4.0.5/lib/phusion_passenger/request_handler.rb:441:in `block (3 levels) in start_threads'
Rolling back due to a problem: [Compute resource update for testgchamoul.lab.services.ingenico.com
  7      failed [#<Host::Managed id: 197, name:
                                "testgchamoul.lab.services.ingenico.com", ip: "1
0.23.45.36", last_compile: nil, last_freshcheck: nil, last_report: "2014-02-18 09:23:55", updated_
at: "20
14-02-18 09:24:06", source_file_id: nil, created_at: "2014-02-18 09:09:18", mac: "52:54:00:56:00
:02", root_pass: nil, serial: nil, puppet_status: 6, doma
                                in_id: 1, architecture_id: 1, operatingsystem_
id: 1, environment_id: 21, subnet_id: 1, ptable_id: 1, medium_id: 5, build: false, comment: "", di
sk: "", i
                                nstalled_at: "2014-02-18 09:24:07", model_id: nil, hostgroup_id: 1, owner_id: nil, owner_type:
nil, enabled: true, puppet_ca_proxy_id: 1, managed: true,
                                use_image: nil, image_file: nil, uuid: "3a99
4cb4-9974-42d1-b6f3-497658a3e228", compute_resource_id: 8, puppet_proxy_id: 1, certname: nil, imag
e_id: nil,
                                organization_id: nil, location_id: nil, type: "Host::Managed", compute_profile_id: 3>, :setC
omputeUpdate]]
Completed 409 Conflict in 3487ms (ActiveRecord: 20.9ms)

```

**Foreman release used:**

foreman-1.4.0-1.el6.noarch  
foreman-ovirt-1.4.0-1.el6.noarch  
foreman-proxy-1.4.0-1.el6.noarch  
foreman-compute-1.4.0-1.el6.noarch  
foreman-vmware-1.4.0-1.el6.noarch  
foreman-selinux-1.4.0-1.el6.noarch  
foreman-installer-1.4.0-1.el6.noarch  
foreman-libvirt-1.4.0-1.el6.noarch  
foreman-postgresql-1.4.0-1.el6.noarch  
foreman-release-1.4.0-1.el6.noarch

When I am not using compute profiles for a new host, it works like a charm !

#### Related issues:

Related to Foreman - Bug #4173: oVirt: Failed to set Build: undefined method ...	<b>Closed</b>	<b>01/23/2014</b>
Related to Foreman - Feature #3178: add ability to apply a virtual hardware t...	<b>Closed</b>	<b>10/01/2013</b>
Has duplicate Foreman - Bug #6464: ovirt build never finishes, can't be cance...	<b>Duplicate</b>	<b>07/01/2014</b>
Has duplicate Foreman - Bug #6895: foreman updates ovirt host setting incorre...	<b>Duplicate</b>	<b>08/03/2014</b>

#### Associated revisions

##### Revision b6ad9fc9 - 09/09/2014 06:29 AM - Dmitri Dolguikh

fixes #4375: provisioning no longer loops when using oVirt + compute profile

##### Revision 90278566 - 09/09/2014 03:13 PM - Dmitri Dolguikh

fixes #4375: provisioning no longer loops when using oVirt + compute profile

(cherry picked from commit b6ad9fc945c43fb35bf8f6ecfa429b37c4b40819)

#### History

##### #1 - 02/18/2014 10:41 AM - Dominic Cleal

- Related to Bug #4173: oVirt: Failed to set Build: undefined method `symbolize\_keys' for nil:NilClass added

##### #2 - 02/18/2014 10:41 AM - Dominic Cleal

- Related to Feature #3178: add ability to apply a virtual hardware template at hostgroup level added

##### #3 - 02/18/2014 10:43 AM - Dominic Cleal

- Category set to Compute resources

- translation missing: en.field\_release deleted (2)

The fix for [#4173](#) makes the compute resource orchestration update code check for missing compute\_attributes and says no update to the VM is required if compute\_attributes are missing. When you assign a compute profile though, there's a before\_validator on Host::Managed which fills in compute\_attributes from the profile, so the CR update code fires based on the contents of the compute profile.

##### #4 - 02/18/2014 11:51 AM - Dominic Cleal

The before\_validation should probably only run on new\_record?.

##### #5 - 06/24/2014 03:20 PM - Dominic Cleal

- Bugzilla link set to [https://bugzilla.redhat.com/show\\_bug.cgi?id=1112169](https://bugzilla.redhat.com/show_bug.cgi?id=1112169)

##### #6 - 07/01/2014 03:01 PM - Dominic Cleal

As a workaround, edit app/models/compute\_resources/foreman/model/ovirt.rb and change supports\_update? to false.

##### #7 - 07/01/2014 03:40 PM - Toni Mattila

Dominic Cleal wrote:

As a workaround, edit app/models/compute\_resources/foreman/model/ovirt.rb and change supports\_update? to false.

I can confirm that workaround fixes the provisioning issue for 1.5.1 and oVirt 3.4.2.

##### #8 - 07/02/2014 02:55 AM - Dominic Cleal

- Has duplicate Bug #6464: ovirt build never finishes, can't be canceled manually added

**#9 - 08/04/2014 03:08 AM - Dominic Cleal**

- Has duplicate Bug #6895: foreman updates ovirt host setting incorrectly added

**#10 - 08/04/2014 05:11 AM - Joop van de Wege**

The above mentioned fix works with foreman-1.5.2 and oVirt-3.4.3 too.

**#11 - 08/12/2014 03:20 AM - Dominic Cleal**

- Category changed from Compute resources to Compute resources - oVirt

- Target version set to 1.7.5

**#12 - 08/21/2014 08:36 AM - Anonymous**

- Target version changed from 1.7.5 to 1.7.4

**#13 - 08/29/2014 11:02 AM - Anonymous**

- Status changed from New to Assigned

- Assignee set to Anonymous

**#14 - 09/03/2014 11:38 AM - Anonymous**

- Status changed from Assigned to Closed

Appears to be working correctly in current develop:HEAD. Fix suggested by Dominic was done in 10ac97b0 (on 20/03/14).

**#15 - 09/03/2014 12:05 PM - Dominic Cleal**

Dmitri Dolguikh wrote:

Appears to be working correctly in current develop:HEAD. Fix suggested by Dominic was done in 10ac97b0 (on 20/03/14).

Hm, I'm not convinced.. that commit (ticket [#4250](#)) went into Foreman 1.5.1 and some of the reports both in comments above and marked as duplicates have been since then (Mon May 12 16:16:36 2014 is the actual commit date).

Maybe the cause is elsewhere, though I don't see it right now.

**#16 - 09/05/2014 04:50 AM - Dominic Cleal**

- Status changed from Closed to Assigned

**#17 - 09/05/2014 10:57 AM - The Foreman Bot**

- Status changed from Assigned to Ready For Testing

- Pull request <https://github.com/foreman/foreman/pull/1741> added

- Pull request deleted ()

**#18 - 09/08/2014 09:57 AM - Dominic Cleal**

- translation missing: en.field\_release set to 10

**#19 - 09/09/2014 07:01 AM - Anonymous**

- Status changed from Ready For Testing to Closed

- % Done changed from 0 to 100

Applied in changeset [b6ad9fc945c43fb35bf8f6ecfa429b37c4b40819](#).