

Foreman - Feature #4477

Improve permissions on resources in host creation/editing form

02/27/2014 12:36 PM - Marek Hulán

Status:	Closed	Fixed in Releases: Found in Releases: Red Hat JIRA:
Priority:	Normal	
Assignee:	Tomer Brisker	
Category:	Users, Roles and Permissions	
Target version:	1.13.0	
Difficulty:		
Triaged:		
Bugzilla link:	1293716	
Pull request:	https://github.com/theforeman/foreman/pull/3369	
Description		
We can limit resources that are displayed to the user in host form using new granular permission. Or we could allow resources based on used hostgroup.		
Related issues:		
Related to Foreman - Feature #812: cant assign roles to groups, just to users	Closed	03/31/2011
Related to Foreman - Feature #1652: Fix privacy for puppetclasses.	Resolved	
Related to Foreman - Bug #6226: if only one option for required field on new ...	New	06/15/2014
Related to Foreman - Bug #6760: Models should ensure the authorization of ass...	New	07/23/2014
Related to Foreman - Bug #1875: user restricted to compute resource(s) can cr...	New	09/27/2012
Related to Foreman - Feature #7289: ACL who can add a host to hostgroup.	New	08/28/2014
Related to Foreman - Bug #18042: Host Compute Resource field does not honor v...	New	01/12/2017
Has duplicate Foreman - Bug #6470: Hostgroup selection box does not honor cre...	Duplicate	07/02/2014
Has duplicate Foreman - Bug #14248: Unable to control where users can build h...	Duplicate	03/17/2016

Associated revisions

Revision a4d69f8c - 06/27/2016 07:19 AM - Tomer Brisker

Fixes #4477 - Host[group] form only show authorized resources

Previously, most dropdowns in the host and hostgroup edit forms displayed all of the existing resources, including some that a user may not have been authorized to view.

This commit makes sure only authorized resources are displayed, with the exception of the current resource - so that editing a host will not cause changes to its current associations in case the user is not allowed to see them. This also includes a refactoring of the code to reduce duplication.

I have also included a change to ``with_taxonomy_scope_override`` that allows its use for relations. This was not previously possible due to the ``unscoped`` which was used to remove the default scope and has been replaced with ``unscope(:where => :taxonomy)`` that only removes any previous taxonomy scopes.

History

#1 - 02/27/2014 12:36 PM - Marek Hulán

- Related to Feature #812: cant assign roles to groups, just to users added

#2 - 03/21/2014 09:26 AM - Dominic Cleal

The same applies to other resources like domains, subnets and realms which have associated smart proxies. In theory we can use `.authorized` and only show the proxies on the form which the user has access to, but in practice this means a user who has edit permissions on a domain but no rights to view the associated smart proxies might inadvertently unset or change the associated proxy.

Our forms need to be smarter about associations to other resources that the user doesn't have access to.

#3 - 03/31/2014 08:09 AM - Dominic Cleal

- Related to Feature #1652: Fix privacy for puppetclasses. added

#4 - 07/02/2014 09:15 AM - Dominic Cleal

- Has duplicate Bug #6470: Hostgroup selection box does not honor create_hosts filter added

#5 - 07/02/2014 09:23 AM - Dominic Cleal

- Related to Bug #6226: if only one option for required field on new host page (ex. installation media), then automatically select it added

#6 - 07/10/2014 08:24 AM - Bryan Kearney

- Bugzilla link set to 1118312

#7 - 07/28/2014 04:24 AM - Dominic Cleal

- Related to Bug #6760: Models should ensure the authorization of associated objects before associating them to the model added

#8 - 07/31/2014 07:36 AM - Anonymous

- Related to Bug #1875: user restricted to compute resource(s) can create baremetal hosts added

#9 - 07/31/2014 09:35 AM - Anonymous

- Status changed from New to Assigned

- Target version set to 1.7.5

- Assignee set to Anonymous

#10 - 08/20/2014 06:48 AM - Anonymous

- Target version changed from 1.7.5 to 1.7.4

#11 - 08/28/2014 06:17 AM - Dominic Cleal

- Related to Feature #7289: ACL who can add a host to hostgroup. added

#12 - 09/16/2014 08:35 AM - Anonymous

- Target version deleted (1.7.4)

#13 - 09/16/2014 08:35 AM - Anonymous

- Status changed from Assigned to New

#14 - 06/10/2015 12:57 PM - Roy Williams

Once a host group is created it is not possible to change puppet classes from within the host group once hosts are associated to it. However it is possible to associate puppet classes from the Configure -> Puppet -> Puppet Classes tab and check box them so they will work. The other issue is it's not possible to populate parameter overrides since I receive the error "Validation failed: Taxonomy has already been taken"

#15 - 06/11/2015 02:58 AM - Marek Hulán

This does not seem related to this authorization issue. Please open a separate issue unless there's an existing one for the issue you have.

Edit (domcleal): [#13620](#)

#16 - 03/27/2016 10:35 AM - The Foreman Bot

- Status changed from New to Ready For Testing

- Pull request <https://github.com/theforeman/foreman/pull/3369> added

#17 - 03/27/2016 10:44 AM - Tomer Brisker

- Has duplicate Bug #14248: Unable to control where users can build hosts added

#18 - 03/27/2016 10:50 AM - Tomer Brisker

- Bugzilla link changed from 1118312 to 1293716

- Assignee changed from Anonymous to Tomer Brisker

#19 - 06/27/2016 08:02 AM - Anonymous

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Applied in changeset [a4d69f8c15495ca8e9595f0f1503174e888f30b9](#).

#20 - 06/27/2016 08:03 AM - Dominic Cleal

- translation missing: en.field_release set to 160

#21 - 01/12/2017 06:40 AM - Tomer Brisker

- Related to Bug #18042: Host Compute Resource field does not honor view permissions added