

Foreman - Bug #4568

undefined method `keys' for "5":String when setting associations incorrectly

03/06/2014 11:10 AM - Dominic Cleal

Status: Closed	
Priority: Normal	
Assignee:	
Category: API	
Target version:	
Difficulty:	Fixed in Releases:
Triaged: No	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
<pre>PUT /api/v2/subnets/1 {"domains":["5"]}</pre>	
returns this error:	
<pre>{"error": {"message": "undefined method `keys' for \"5\":String"}}</pre>	
Which is correct, as the correct format is:	
<pre>{"domains":[{"id":"5"}]}</pre>	
But it's not a user-friendly error message. Better yet would be if it could simply accept this format with IDs or names.	
Stack trace:	
<pre>undefined method `keys' for "5":String (NoMethodError) /home/dcleal/code/foreman/foreman/app/controllers/api/v2/base_controller.rb:64:in `block (2 levels) in setup_has_many_params' /home/dcleal/code/foreman/foreman/app/controllers/api/v2/base_controller.rb:64:in `each' /home/dcleal/code/foreman/foreman/app/controllers/api/v2/base_controller.rb:64:in `all?' /home/dcleal/code/foreman/foreman/app/controllers/api/v2/base_controller.rb:64:in `block in setup_has_many_params' /home/dcleal/code/foreman/foreman/app/controllers/api/v2/base_controller.rb:60:in `each' /home/dcleal/code/foreman/foreman/app/controllers/api/v2/base_controller.rb:60:in `setup_has_many_params'</pre>	

History

#1 - 03/06/2014 11:12 AM - Dominic Cleal

- Description updated

#2 - 04/30/2021 08:14 AM - Leos Stejskal

- Status changed from New to Closed

I'm closing the issue,

It has been here for some time and I wasn't able to reproduce it on the latest version.

If you think that the issue is still relevant feel free to reopen it.