

Katello - Bug #4600

nightly migration is broken

03/09/2014 08:38 AM - Ohad Levy

Status: Resolved	
Priority: Normal	
Assignee:	
Category:	
Target version: Katello 2.0	
Difficulty:	Fixed in Releases:
Triaged: Yes	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
<pre>Migrating to NodeCreate (20131120225133) == NodeCreate: migrating ===== -- create_table(:nodes) NOTICE: CREATE TABLE will create implicit sequence "nodes_id_seq" for serial column "nodes.id" NOTICE: CREATE TABLE / PRIMARY KEY will create implicit index "nodes_pkey" for table "nodes" -> 0.0479s -- add_index("nodes", ["system_id"], {:unique=>true}) rake aborted! An error has occurred, this and all later migrations canceled: PGError: ERROR: relation "index_nodes_on_system_id" already exists : CREATE UNIQUE INDEX "index_nodes_on_system_id" ON "nodes" ("system_id") /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/postgresql_adapter.rb:654:in `async_exec' /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/postgresql_adapter.rb:654:in `block in execute' /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract_adapter.rb:280:in `block in log' /opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/notifications/instrumenter.rb:20:in `instrument' /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract_adapter.rb:275:in `log' /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/postgresql_adapter.rb:653:in `execute' /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract/schema_statements.rb:352:in `add_index' /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:466:in `block in method_missing' /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:438:in `block in say_with_time' /opt/rh/ruby193/root/usr/share/ruby/benchmark.rb:280:in `measure' /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:438:in `say_with_time' /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:458:in `method_missing' /opt/rh/ruby193/root/usr/share/gems/gems/katello-1.5.0/engines/fort/db/migrate/20131120225133_node_create.rb:8:in `up' /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:410:in `block (2 levels) in migrate' /opt/rh/ruby193/root/usr/share/ruby/benchmark.rb:280:in `measure' /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:410:in `block in migrate' /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract/connection_pool.rb:123:in `with_connection' /opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:389:in `migrate'</pre>	

```
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:528:in
`migrate'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:720:in
`block (2 levels) in migrate'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:775:in
`call'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:775:in
`block in ddl_transaction'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/
abstract/database_statements.rb:192:in `transaction'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:208:
in `transaction'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:775:in
`ddl_transaction'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:719:in
`block in migrate'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:700:in
`each'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:700:in
`migrate'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:570:in
`up'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:551:in
`migrate'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/railties/databases.r
ake:153:in `block (2 levels) in <top (required)>'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:205:in `call'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:205:in `block in execute'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:200:in `each'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:200:in `execute'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:158:in `block in invoke_with_call_chain'
/opt/rh/ruby193/root/usr/share/ruby/monitor.rb:211:in `mon_synchronize'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:151:in `invoke_with_call_chain'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:144:in `invoke'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:116:in `invoke_task'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:94:in `block (2 levels) in top_level'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:94:in `each'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:94:in `block in top_level'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:133:in `standard_exception_handling'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:88:in `top_level'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:66:in `block in run'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:133:in `standard_exception_handling'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:63:in `run'
/opt/rh/ruby193/root/usr/bin/rake:32:in `<main>'
caused by: (PGError) ERROR: relation "index_nodes_on_system_id" already exists
```

... skipped 49 lines

```
caused by: (ActiveRecord::StatementInvalid) PGError: ERROR: relation "index_nodes_on_system_id" a
lready exists
```

```
: CREATE UNIQUE INDEX "index_nodes_on_system_id" ON "nodes" ("system_id")
```

```
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/
postgres_adapter.rb:654:in `async_exec'
```

```
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/
postgres_adapter.rb:654:in `block in execute'
```

```
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/
abstract_adapter.rb:280:in `block in log'
```

```
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/notifications/inst
rumenter.rb:20:in `instrument'
```

```
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/
abstract_adapter.rb:275:in `log'
```

```
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/
postgres_adapter.rb:653:in `execute'
```

```
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/
abstract/schema_statements.rb:352:in `add_index'
```

```
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:466:in
`block in method_missing'
```

```
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:438:in
```

```

`block in say_with_time'
/opt/rh/ruby193/root/usr/share/ruby/benchmark.rb:280:in `measure'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:438:in
`say_with_time'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:458:in
`method_missing'
/opt/rh/ruby193/root/usr/share/gems/gems/katello-1.5.0/engines/fort/db/migrate/20131120225133_node
_create.rb:8:in `up'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:410:in
`block (2 levels) in migrate'
/opt/rh/ruby193/root/usr/share/ruby/benchmark.rb:280:in `measure'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:410:in
`block in migrate'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/
abstract/connection_pool.rb:123:in `with_connection'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:389:in
`migrate'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:528:in
`migrate'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:720:in
`block (2 levels) in migrate'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:775:in
`call'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:775:in
`block in ddl_transaction'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/
abstract/database_statements.rb:192:in `transaction'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:208:
in `transaction'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:775:in
`ddl_transaction'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:719:in
`block in migrate'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:700:in
`each'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:700:in
`migrate'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:570:in
`up'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/migration.rb:551:in
`migrate'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/railties/databases.r
ake:153:in `block (2 levels) in <top (required)>'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:205:in `call'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:205:in `block in execute'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:200:in `each'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:200:in `execute'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:158:in `block in invoke_with_call_chain'
/opt/rh/ruby193/root/usr/share/ruby/monitor.rb:211:in `mon_synchronize'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:151:in `invoke_with_call_chain'
/opt/rh/ruby193/root/usr/share/ruby/rake/task.rb:144:in `invoke'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:116:in `invoke_task'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:94:in `block (2 levels) in top_level'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:94:in `each'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:94:in `block in top_level'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:133:in `standard_exception_handling'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:88:in `top_level'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:66:in `block in run'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:133:in `standard_exception_handling'
/opt/rh/ruby193/root/usr/share/ruby/rake/application.rb:63:in `run'
/opt/rh/ruby193/root/usr/bin/rake:32:in `<main>'
... skipped 0 lines
caused by: (PGError) ERROR: relation "index_nodes_on_system_id" already exists

... skipped 49 lines
Tasks: TOP => db:migrate

```

History

#1 - 06/04/2014 12:45 AM - Eric Helms

- *Triaged set to Yes*

This does not appear to be an issue so closing for now. Please re-open if you see it again.

#2 - 06/30/2014 10:05 AM - Ohad Levy

- *Status changed from New to Resolved*

#3 - 07/07/2014 07:21 AM - Eric Helms

- *Target version set to 48*

#4 - 08/22/2014 07:50 AM - Eric Helms

- *translation missing: en.field_release set to 13*