Foreman - Bug #4684

"undefined method `text' for nil:NilClass" error when trying to add ovirt 3.4 compute resource

03/18/2014 12:40 PM - Jorick Astrego

Status: Resolved

Priority: Normal

Assignee:

Category: Compute resources

Target version:

Difficulty: Fixed in Releases:

Triaged: Found in Releases: 1.4.1

Bugzilla link: Red Hat JIRA:

Pull request:

Description

I try to add my fresh ovirt 3.4rc2 install to foreman and get this error:

undefined method `text' for nil:NilClass

Related issues:

Related to Foreman - Bug #4346: oVirt Compute Resource needs to be updated fo...

Closed 02/14/2014

Related to Foreman - Bug #4996: Failed to create a compute (oVirt) instance ...

Closed 04/01/2014

History

#1 - 03/18/2014 12:43 PM - Dominic Cleal

- Category set to Compute resources

Do you have any more information in the logs? A stack trace would be very helpful.

You may need to enable debugging: http://projects.theforeman.org/projects/foreman/wiki/Troubleshooting#How-do-l-enable-debugging

#2 - 03/18/2014 02:04 PM - Anonymous

- Related to Bug #4346: oVirt Compute Resource needs to be updated for rbovirt >0.0.21 added

#3 - 03/18/2014 02:06 PM - Anonymous

Jorick, could to make sure that you're using rbovirt 0.0.21 and apply

https://github.com/abenari/rbovirt/commit/137da3b4021b3e0ac20cd5d24f51827370b9acad to it? That's the configuration we're using with foreman 1.4.1 and ovirt 3.4 at the moment.

#4 - 03/18/2014 02:08 PM - Jorick Astrego

Ah I see the bug is linked to Bug #4346 now (I didn't see that one)

Forgot to say, it happens when I press the "Load Datacenters" button..

debug info:

Started PUT "/compute_resources/test_connection" for xxx.xxx.xxx at 2014-03-18 15:04:44 0100

Processing by ComputeResourcesController#test_connection as /*

 $\underline{\textbf{Parameters: \{"utf8"=>"$\!", "authenticity_token"=>"Fo4AKjExIABMiAsnCVCj5FHA0qhfGF4SjoTzlhV} + \texttt{EY="}, \\ \underline{\textbf{Parameters: \{utf8"=>"$\!", "authenticity_token"=>"Fo4AKjExIABMiAsnCVCj5FHA0qhfGF4SjoTzlhV} + \texttt{EY="}, \\ \underline{\textbf{Parameters: \{utf8"="$\!", "authenticity_token"=>"Fo4AKjExIABMiAsnCVCj5FHA0qhfA0qhfa0qhfa0qhfa0q$

"compute_resource"=>{"name"=>"oVirt", "provider"=>"Ovirt", "description"=>"", "url"=>"https://ovirt.netbulae.en:443/api",

"user"=>"admin@internal", "password"=>"[FILTERED]"}, "cr_id"=>"1"}

User Load (0.3ms) SELECT "users". FROM "users" WHERE "users". "id" = \$1 LIMIT 1 "id", 1

Setting current user thread-local variable to admin

CR ID IS 1

ComputeResource Load (0.1ms) SELECT "compute_resources".* FROM "compute_resources" WHERE "compute_resources"."id" = \$1 ORDER BY compute_resources.name LIMIT 1 "id". "1"

ComputeResource Exists (0.2ms) SELECT 1 AS one FROM "compute_resources" WHERE ("compute_resources"."name" = 'oVirt' AND "compute_resources"."id" != 1) LIMIT 1

Rendered compute_resources/form/_ovirt.html.erb (72.6ms)

Rendered compute_resources/_form.html.erb (77.3ms)

Completed 200 OK in 140ms (Views: 78.1ms | ActiveRecord: 0.6ms)

05/17/2024 1/2

#5 - 03/31/2014 10:40 PM - Trey Dockendorf

I ran into this after updating to oVirt 3.4 (stable) and trying to edit a host that is part of my oVirt compute resource. This is with foreman-1.4.1-2.el6 and ruby193-rubygem-rbovirt-0.0.21-2.el6.

Full trace dump from Foreman web interface

```
OVIRT::OvirtException
undefined method `text' for nil:NilClass
app/helpers/layout_helper.rb:112:in `block in select_f'
app/helpers/layout_helper.rb:143:in `block (3 levels) in field'
app/helpers/layout_helper.rb:142:in `block (2 levels) in field'
app/helpers/layout_helper.rb:137:in `block in field'
app/helpers/layout helper.rb:136:in `field'
app/helpers/layout_helper.rb:110:in `select_f'
app/views/compute_resources_vms/form/_ovirt.html.erb:5:in `_app_views_compute_resources_vms_form__ovirt_html_e
rb___1487461556603589158_58978660'
app/views/hosts/_compute.html.erb:5:in `block in _app_views_hosts__compute_html_erb___987585527162209695_69927
339893160'
app/views/hosts/_compute.html.erb:1:in `_app_views_hosts__compute_html_erb___987585527162209695_69927339893160
app/views/hosts/_unattended.html.erb:2:in `_app_views_hosts__unattended_html_erb___2127257360369646058_6992733
9720480
app/views/hosts/_form.html.erb:91:in `block (2 levels) in _app_views_hosts__form_html_erb__4571261874729306152
_69927336144920'
app/helpers/layout_helper.rb:218:in `form_for'
app/views/hosts/_form.html.erb:7:in `block in _app_views_hosts__form_html_erb__4571261874729306152_69927336144
app/models/taxonomy.rb:56:in `block (2 levels) in as_taxonomy'
app/models/concerns/foreman/thread_session.rb:143:in `as_location'
app/models/taxonomy.rb:55:in `block in as_taxonomy'
app/models/concerns/foreman/thread_session.rb:108:in `as_org'
app/models/taxonomy.rb:54:in `as_taxonomy'
app/views/hosts/_form.html.erb:5:in `_app_views_hosts__form_html_erb__4571261874729306152_69927336144920' app/views/hosts/edit.html.erb:7:in `_app_views_hosts_edit_html_erb__4441177603592916283_49364240'
app/models/concerns/foreman/thread_session.rb:33:in `clear_thread'
lib/middleware/catch_json_parse_errors.rb:9:in `call'
```

Applying the change from https://github.com/abenari/rbovirt/commit/137da3b4021b3e0ac20cd5d24f51827370b9acad resolves that issue.

#6 - 04/01/2014 12:56 PM - Dominic Cleal

- Related to Bug #4996: Failed to create a compute (oVirt) instance VM template.id|name required for add added

#7 - 04/07/2014 05:40 PM - Yama Kasi

I have the same issue on 1.4.2 with oVirt 3.4 and the changed datacenter.rb.

I have updated to 1.5 Nighly which also doens't solve it.

#8 - 06/24/2014 04:25 PM - Anonymous

What's the status with Foreman 1.5.1 on this?

#9 - 07/23/2014 05:07 AM - Anonymous

- Status changed from New to Resolved

As per feedback of YamakasY on IRC, this problem does not occour anymore.

05/17/2024 2/2