

Foreman - Feature #471

enabling parameters for Operating Systems

11/17/2010 09:55 AM - Shahar Mintz

Status: Closed	
Priority: Normal	
Assignee: Ohad Levy	
Category: External Nodes	
Target version: 0.2	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description I would like to be able to set parameters for operating systems, for example, to add the activation keys for RHEL.	

Associated revisions

Revision 11782648 - 11/25/2010 09:53 AM - Ohad Levy

fixes #471 - enabling parameters for Operating Systems

History

#1 - 11/25/2010 09:47 AM - Ohad Levy

- Subject changed from enbaling parameters for Operating Systems to enabling parameters for Operating Systems
- Category set to External Nodes
- Assignee set to Ohad Levy
- Target version set to 0.2

#2 - 11/25/2010 10:24 AM - Ohad Levy

- Status changed from New to Ready For Testing
- % Done changed from 0 to 100

Applied in changeset [11782648754407bdda5a7f0619809ed3809e440e](#).

#3 - 11/25/2010 12:15 PM - Ohad Levy

- Status changed from Ready For Testing to Closed

#4 - 11/25/2010 10:45 PM - Bash Shell

So what does the parameter inheritance model look like now?

Global->Domain->Hostgroup->OS->Host?

#5 - 11/27/2010 06:03 AM - Ohad Levy

Bash Shell wrote:

So what does the parameter inheritance model look like now?

Global->Domain->Hostgroup->OS->Host?

Its Global->Domain->OS->Hostgroup->Host?

I don't mind lowering the OS level if it makes more sense