

Katello - Bug #4725

(nightlies 3-19-14) creating host groups is missing published content views

03/19/2014 06:31 PM - Erik Jacobs

Status: Closed	
Priority: Normal	
Assignee: Justin Sherrill	
Category:	
Target version: Katello 2.0	
Difficulty:	Fixed in Releases:
Triaged: Yes	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
<p>foreman-1.5.0-0.develop.201403182248gitdf471c7.el6.noarch foreman-postgresql-1.5.0-0.develop.201403182248gitdf471c7.el6.noarch foreman-proxy-1.5.0-0.develop.201403141615git2f75941.el6.noarch foreman-release-1.5.0-0.develop.201403182248gitdf471c7.el6.noarch katello-1.5.0-14.201403182251gita638704.el6.noarch katello-apache-1.0-1.noarch katello-ca-1.0-1.noarch katello-certs-tools-1.5.2-1.git.1.edab2c4.el6.noarch katello-installer-0.0.19-1.201403121737git943ff82.el6.noarch katello-repos-1.5.1-1.git.14.0868bd1.el6.noarch pulp-katello-plugins-0.2-1.el6.noarch ruby193-rubygem-foreman-tasks-0.4.0-1.el6.noarch ruby193-rubygem-katello-1.5.0-10.201403182251gita638704.el6.noarch rubygem-foreman_api-0.1.11-1.el6.noarch rubygem-hammer_cli_foreman-0.0.18-1.el6.noarch rubygem-hammer_cli_foreman_tasks-0.0.1-3.el6.noarch rubygem-hammer_cli_katello-0.0.3-1.201403182248git62f913f.git.0.087e5ab.el6.noarch rubygem-katello_api-0.0.8-1.201403182244git25f03d8.git.0.b35bfd.el6.noarch</p> <ol style="list-style-type: none">1. Create a product and a puppet repository2. Upload a puppet module3. Create a content view with said module4. Publish the content view to the library5. Go to the hostgroups page6. Create a new hostgroup <p>Only the default view is visible: <option data-katello-id="ACME_Corporation/Library/Default_Organization_View" value="1" style="display: block;">Default_Organization_View</option></p> <p>There is a view published that is not in the dropdown.</p> <p>Additionally, if I select the default view, a popup error appears: Error while loading activation keys from Katello</p> <p>From foreman/production.log: Processing by HostgroupsController#environment_selected as */* Parameters: {"utf8"=>"", "authenticity_token"=>"rXjmGf3Ki8zJGflqzImVn2qhrTnYZ7BAmWknmuVUymw=", "hostgroup"=>{"parent_id"=>"", "name"=>"motd", "environment_id"=>"1", "puppet_ca_proxy_id"=>"", "puppet_proxy_id"=>"", "domain_id"=>"", "architecture_id"=>"", "root_pass"=>"[FILTERED]", "organization_ids"=>["", "1"]}, "kt_environment_id"=>"ACME_Corporation/Library", "kt_activation_keys"=>"", "host_id"=>"1"}</p> <p>ActionController::RoutingError (No route matches [GET] "/katello/api/organizations/ACME_Corporation/content_views"): /usr/lib/ruby/gems/1.8/gems/passenger-4.0.5/lib/phusion_passenger/rack/thread_handler_extension.rb:77:in `process_request' /usr/lib/ruby/gems/1.8/gems/passenger-4.0.5/lib/phusion_passenger/request_handler/thread_handler.rb:140:in `accept_and_process_next_request' /usr/lib/ruby/gems/1.8/gems/passenger-4.0.5/lib/phusion_passenger/request_handler/thread_handler.rb:108:in `main_loop'</p>	

```
/usr/lib/ruby/gems/1.8/gems/passenger-4.0.5/lib/phusion_passenger/request_handler.rb:441:in `block (3 levels) in start_threads'
```

```
Rendered puppetclasses/_selectedClasses.html.erb (0.0ms)
  Rendered puppetclasses/_classes.html.erb (1.5ms)
    Rendered puppetclasses/_class_selection.html.erb (11.0ms)
Completed 200 OK in 34ms (Views: 13.5ms | ActiveRecord: 2.5ms)
Connecting to database specified by database.yml
Clean start.
shutting down Core ...
... Core terminated.
```

I think that error is unrelated to the missing view(s).

Associated revisions

Revision b03147ef - 03/23/2014 06:32 PM - Justin Sherrill

Merge pull request #3851 from jlsherrill/env_delete

fixes #4725 - fixes deletion of puppet environments with no modules

History

#1 - 03/19/2014 06:42 PM - Erik Jacobs

- File Screenshot from 2014-03-19 14_40_23.png added

Additionally, if you create a lifecycle environment and promote the content into that environment, that whole environment is still missing from the hostgroup page.

The following is the HTML that appears on the hostgroup creation page. Note the development environment is absent.

```
<div class="form-group ">
<label class="col-md-2 control-label" for="Environment">Environment</label>
<div class="col-md-4">
<select id="kt_environment_id" name="kt_environment_id">
<option value=""></option>
<optgroup label="ACME_Corporation">
<option class="kt-env" value="ACME_Corporation/Library">Library</option>
</optgroup>
</select>
<span class="help-block"></span>
</div>
<span class="help-block help-inline"></span>
</div>
```

#2 - 03/19/2014 06:54 PM - Justin Sherrill

- Assignee set to Justin Sherrill

#3 - 03/19/2014 07:57 PM - Mike McCune

- Status changed from New to Assigned

#4 - 03/19/2014 09:50 PM - Justin Sherrill

So it turns out the puppet environment is being created in foreman, it is just being immediately deleted, partially due to [#4732](#) not being fixed yet (PR Open <https://github.com/Katello/katello/pull/3837>), however i'm not sure that foreman should be deleting empty environments regardless. Will investigate more.

#5 - 03/20/2014 03:03 PM - Erik Jacobs

Tested <https://github.com/Katello/katello/pull/3837> and verified that now a published view is available in the dropdown.

#6 - 03/21/2014 08:05 PM - Mike McCune

- Triaged set to Yes

#7 - 03/21/2014 08:21 PM - Mike McCune

- Triaged deleted (Yes)

#8 - 03/21/2014 09:05 PM - Mike McCune

- *Triaged set to Yes*

#9 - 03/23/2014 06:52 PM - Justin Sherrill

- *Status changed from Assigned to Closed*

- *% Done changed from 0 to 100*

Applied in changeset katello|commit:b03147ef67a8de7a92b42b1ce9ef6e5cd6bcca3b.

#10 - 08/21/2014 02:31 PM - Eric Helms

- *translation missing: en.field_release set to 13*

Files

Screenshot from 2014-03-19 14_27_21.png	271 KB	03/19/2014	Erik Jacobs
Screenshot from 2014-03-19 14_29_03.png	276 KB	03/19/2014	Erik Jacobs
Screenshot from 2014-03-19 14_40_23.png	277 KB	03/19/2014	Erik Jacobs