

Katello - Bug #4850

katello-configure seems to apply root owner/group to pg_hba.conf

03/25/2014 05:05 PM - Michael Stead

Status: Closed	
Priority: High	
Assignee: Eric Helms	
Category: Installer	
Target version: Katello 2.0	
Difficulty:	Fixed in Releases:
Triaged: Yes	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
<p>After running 'katello-configure' as per the documents here¹, postgres fails to start causing issues for the remainder of the install.</p> <p>It appears that katello-configure changes the owner and group of /var/lib/pgsql/data/pg_hba.conf to root after applying changes to it. Postgresql can not read it when its service is started.</p> <p>Expected: After pg_hba.conf is updated by katello-configure, owner/group should remain as postgres.</p> <p>Installed based on [1] -- OS: F19 -----</p> <p>katello-cli-1.4.7-1.fc19.noarch katello-common-1.4.15-1.fc19.noarch katello-selinux-1.4.5-1.fc19.noarch katello-all-1.4.15-1.fc19.noarch katello-certs-tools-1.4.4-1.fc19.noarch katello-glue-candlepin-1.4.15-1.fc19.noarch katello-cli-common-1.4.7-1.fc19.noarch pulp-katello-plugins-0.2-1.fc19.noarch signo-katello-0.0.22-1.fc19.noarch katello-candlepin-cert-key-pair-1.0-1.noarch katello-glue-elasticsearch-1.4.15-1.fc19.noarch katello-qpidd-broker-key-pair-1.0-1.noarch katello-configure-1.4.9-1.fc19.noarch katello-1.4.15-1.fc19.noarch katello-qpidd-client-key-pair-1.0-1.noarch katello-repos-1.4.4-1.fc19.noarch katello-glue-pulp-1.4.15-1.fc19.noarch</p> <p>[1] https://fedorahosted.org/katello/wiki/Install</p>	

History

#1 - 04/04/2014 05:46 PM - Eric Helms

- Status changed from New to Closed
- Assignee set to Eric Helms
- Triaged changed from No to Yes

Due to changes incurred between Katello 1.4 and 1.5 that include a complete overhaul of the installer, I'm closing this as won't fix since this should be handled entirely by the upstream postgresql puppet module.

#2 - 08/21/2014 02:37 PM - Eric Helms

- translation missing: en.field_release set to 13