# Foreman - Feature #5077

# Allow additional template helpers and variables from plugins

04/04/2014 01:56 PM - Dominic Cleal

Status: Closed

Priority: Normal

Assignee: Ivan Necas

Category: Templates

Target version: 1.5.0

Difficulty: Fixed in Releases:
Triaged: Found in Releases:

Bugzilla link: Red Hat JIRA: Pull request:

### Description

Plugins should be able to permit new helpers and variables to be accessed via safemode when rendering templates, to support #4966.

https://github.com/theforeman/foreman/pull/1355

#### Related issues:

Blocks Katello - Bug #4966: Rendering of Katello Kickstart Default template f... Closed 03/31/2014

#### **Associated revisions**

### Revision 869bbffe - 04/04/2014 02:20 PM - Ivan Necas

fixes #5077 - refactor safemode rendering to allow helpers and variables from plugins

### History

## #1 - 04/04/2014 01:56 PM - Dominic Cleal

- Blocks Bug #4966: Rendering of Katello Kickstart Default template fails on "Safemode doesn't allow to access 'subscription\_manager\_configuration\_url'" added

### #2 - 04/04/2014 02:31 PM - Ivan Necas

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Applied in changeset 869bbffe4a6393404db2293d04df0be2b95ccabe.

## #3 - 04/07/2014 10:40 AM - Dominic Cleal

Documentation: http://projects.theforeman.org/projects/foreman/wiki/How to Create a Plugin#Extend-safemode-access

05/20/2024 1/1