# Foreman - Bug #5609

## undefined method 'id' for nil:NilClass on host form when location not visible

05/07/2014 10:17 AM - Dominic Cleal

Status: Closed

Priority: Normal

Assignee:

Category: Host creation

Target version: 1.4.4

Difficulty: Fixed in Releases:
Triaged: Found in Releases:
Bugzilla link: Red Hat JIRA:

**Pull request:** 

#### Description

When a location isn't visible to a user, the host edit form can throw the following backtrace:

NoMethodError

undefined method 'id' for nil:NilClass

app/views/hosts/ form.html.erb:42:in `block (2 levels) in app views hosts

form html erb 4293687029106106936 69881101386960'

app/helpers/layout helper.rb:218:in `form for'

app/views/hosts/ form.html.erb:7:in 'block in app views hosts form html erb 4293687029106106936 69881101386960'

app/models/taxonomy.rb:56:in `block (2 levels) in as\_taxonomy'

app/models/concerns/foreman/thread\_session.rb:143:in `as\_location'

app/models/taxonomy.rb:55:in `block in as\_taxonomy'

app/models/concerns/foreman/thread session.rb:108:in `as org'

app/models/taxonomy.rb:54:in `as taxonomy'

app/views/hosts/new.html.erb:7:in `\_app\_views\_hosts\_new\_html\_erb\_\_692129816314295724\_69881101356420'

app/models/concerns/foreman/thread\_session.rb:33:in `clear\_thread'

lib/middleware/catch json parse errors.rb:9:in `call'

https://github.com/theforeman/foreman/pull/1336

## **Associated revisions**

#### Revision ce815b85 - 05/07/2014 10:17 AM - Julien Pivotto

fixes #5609 - backport bugfix in hosts form when location is nil

This commit fixes a bug that has been fixed in acfbc45886c4d81a2a3ca5af433a6124a0a7191a

### History

## #1 - 05/07/2014 10:19 AM - Dominic Cleal

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Merged to 1.4-stable as ce815b8573a63299f7b2f052aec39594c603cbe9 (already on develop).

05/11/2024 1/1