

Foreman - Bug #5754

Cloud-init phone\_home raise 500 error because of POST content

05/16/2014 08:57 AM - Romain Vrignaud

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>	Romain Vrignaud	
<b>Category:</b>	Templates	
<b>Target version:</b>	1.5.1	
<b>Difficulty:</b>		<b>Fixed in Releases:</b>
<b>Triaged:</b>		<b>Found in Releases:</b> 1.5.0
<b>Bugzilla link:</b>	1107690	<b>Red Hat JIRA:</b>
<b>Pull request:</b>		

Description

POST content (hostname ?) make foreman raise a 500 error.  
We should empty the content of the POST.

```
Started POST "/unattended/built?token=xxxx" for 10.237.2.40 at 2014-05-16 08:28:48 +0000
Processing by UnattendedController#built as */*
  Parameters: {"instance_id"=>"i-0000198e", "pub_key_rsa"=>"xxxx", "hostname"=>"ddsfdsdfs", "pub_key_ecdsa"=>"xxxx", "pub_key_dsa"=>"xxx", "token"=>"xxx"}
WARNING: Can't verify CSRF token authenticity
Redirected to http://test.example.com:3000/users/login
Filter chain halted as :require_login rendered or redirected
Completed 302 Found in 2.5ms (ActiveRecord: 0.6ms)
Started POST "/users/login" for 10.237.2.40 at 2014-05-16 08:28:48 +0000
Processing by UsersController#login as */*
WARNING: Can't verify CSRF token authenticity
Setting current user thread-local variable to nil
Operation FAILED: undefined method `[]' for nil:NilClass
/home/rrondeau/foreman/app/controllers/users_controller.rb:72:in `login'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_controller/metal/implicit_render.rb:4:in `send_action'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/abstract_controller/base.rb:167:in `process_action'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_controller/metal/rendering.rb:10:in `process_action'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/abstract_controller/callbacks.rb:18:in `block in process_action'
/usr/lib/ruby/gems/2.0.0/gems/activerecord-3.2.18/lib/active_support/callbacks.rb:461:in `block (3 levels) in _run__2098843741482245584__process_action__4538368254813143935__callbacks'
/usr/lib/ruby/gems/2.0.0/gems/activerecord-3.2.18/lib/active_support/callbacks.rb:215:in `block in _conditional_callback_around_6377'
/usr/lib/ruby/gems/2.0.0/gems/activerecord-3.2.18/lib/active_support/callbacks.rb:326:in `around'
/usr/lib/ruby/gems/2.0.0/gems/activerecord-3.2.18/lib/active_support/callbacks.rb:310:in `_callback_around_906'
/usr/lib/ruby/gems/2.0.0/gems/activerecord-3.2.18/lib/active_support/callbacks.rb:214:in `_conditional_callback_around_6377'
/usr/lib/ruby/gems/2.0.0/gems/activerecord-3.2.18/lib/active_support/callbacks.rb:460:in `block (2 levels) in _run__2098843741482245584__process_action__4538368254813143935__callbacks'
/usr/lib/ruby/gems/2.0.0/gems/activerecord-3.2.18/lib/active_support/callbacks.rb:215:in `block in _conditional_callback_around_6376'
/home/rrondeau/foreman/app/models/concerns/foreman/thread_session.rb:33:in `clear_thread'
/usr/lib/ruby/gems/2.0.0/gems/activerecord-3.2.18/lib/active_support/callbacks.rb:214:in `_conditional_callback_around_6376'
/usr/lib/ruby/gems/2.0.0/gems/activerecord-3.2.18/lib/active_support/callbacks.rb:415:in `block in _run__2098843741482245584__process_action__4538368254813143935__callbacks'
/usr/lib/ruby/gems/2.0.0/gems/activerecord-3.2.18/lib/active_support/callbacks.rb:215:in `block in _conditional_callback_around_6375'
/usr/lib/ruby/gems/2.0.0/gems/activerecord-3.2.18/lib/active_support/callbacks.rb:326:in `around'
```

```
/usr/lib/ruby/gems/2.0.0/gems/activestorage-3.2.18/lib/active_storage/callbacks.rb:310:in `_callba
ck_around_13'
/usr/lib/ruby/gems/2.0.0/gems/activestorage-3.2.18/lib/active_storage/callbacks.rb:214:in `_condit
ional_callback_around_6375'
/usr/lib/ruby/gems/2.0.0/gems/activestorage-3.2.18/lib/active_storage/callbacks.rb:414:in `_run__2
098843741482245584__process_action__4538368254813143935__callbacks'
/usr/lib/ruby/gems/2.0.0/gems/activestorage-3.2.18/lib/active_storage/callbacks.rb:405:in `__run_c
allback'
/usr/lib/ruby/gems/2.0.0/gems/activestorage-3.2.18/lib/active_storage/callbacks.rb:385:in `_run_pr
ocess_action_callbacks'
/usr/lib/ruby/gems/2.0.0/gems/activestorage-3.2.18/lib/active_storage/callbacks.rb:81:in `run_call
backs'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/abstract_controller/callbacks.rb:17:in `proces
s_action'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_controller/metal/rescue.rb:29:in `proces
s_action'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_controller/metal/instrumentation.rb:30:
in `block in process_action'
/usr/lib/ruby/gems/2.0.0/gems/activestorage-3.2.18/lib/active_storage/notifications.rb:123:in `blo
ck in instrument'
/usr/lib/ruby/gems/2.0.0/gems/activestorage-3.2.18/lib/active_storage/notifications/instrumenter.r
b:20:in `instrument'
/usr/lib/ruby/gems/2.0.0/gems/activestorage-3.2.18/lib/active_storage/notifications.rb:123:in `ins
trument'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_controller/metal/instrumentation.rb:29:
in `process_action'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_controller/metal/params_wrapper.rb:207:
in `process_action'
/usr/lib/ruby/gems/2.0.0/gems/activerecord-3.2.18/lib/active_record/railties/controller_runtime.rb
:18:in `process_action'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/abstract_controller/base.rb:121:in `process'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/abstract_controller/rendering.rb:45:in `proces
s'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_controller/metal.rb:203:in `dispatch'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_controller/metal/rack_delegation.rb:14:
in `dispatch'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_controller/metal.rb:246:in `block in ac
tion'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/routing/route_set.rb:73:in `ca
ll'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/routing/route_set.rb:73:in `di
spatch'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/routing/route_set.rb:36:in `ca
ll'
/usr/lib/ruby/gems/2.0.0/gems/journey-1.0.4/lib/journey/router.rb:68:in `block in call'
/usr/lib/ruby/gems/2.0.0/gems/journey-1.0.4/lib/journey/router.rb:56:in `each'
/usr/lib/ruby/gems/2.0.0/gems/journey-1.0.4/lib/journey/router.rb:56:in `call'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/routing/route_set.rb:608:in `c
all'
/usr/lib/ruby/gems/2.0.0/gems/apipie-rails-0.1.3/lib/apipie/static_dispatcher.rb:65:in `call'
/usr/lib/ruby/gems/2.0.0/gems/rack-openid-1.4.2/lib/rack/openid.rb:98:in `call'
/usr/lib/ruby/gems/2.0.0/gems/apipie-rails-0.1.3/lib/apipie/middleware/checksum_in_headers.rb:27:i
n `call'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/middleware/best_standards_suppo
rt.rb:17:in `call'
/usr/lib/ruby/gems/2.0.0/gems/rack-1.4.5/lib/rack/etag.rb:23:in `call'
/usr/lib/ruby/gems/2.0.0/gems/rack-1.4.5/lib/rack/conditionalget.rb:35:in `call'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/middleware/head.rb:14:in `call'
'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/middleware/params_parser.rb:21
:in `call'
/home/rrondeau/foreman/lib/middleware/catch_json_parse_errors.rb:9:in `call'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/middleware/flash.rb:242:in `ca
ll'
/usr/lib/ruby/gems/2.0.0/gems/rack-1.4.5/lib/rack/session/abstract/id.rb:210:in `context'
/usr/lib/ruby/gems/2.0.0/gems/rack-1.4.5/lib/rack/session/abstract/id.rb:205:in `call'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/middleware/cookies.rb:341:in `
```

```

call'
/usr/lib/ruby/gems/2.0.0/gems/activerecord-3.2.18/lib/active_record/query_cache.rb:64:in `call'
/usr/lib/ruby/gems/2.0.0/gems/activerecord-3.2.18/lib/active_record/connection_adapters/abstract/connection_pool.rb:479:in `call'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/middleware/callbacks.rb:28:in `block in call'
/usr/lib/ruby/gems/2.0.0/gems/activesupport-3.2.18/lib/active_support/callbacks.rb:405:in `_run__4061752724268364408__call__1048963326518903143__callbacks'
/usr/lib/ruby/gems/2.0.0/gems/activesupport-3.2.18/lib/active_support/callbacks.rb:405:in `__run_callbacks'
/usr/lib/ruby/gems/2.0.0/gems/activesupport-3.2.18/lib/active_support/callbacks.rb:385:in `_run_callbacks'
/usr/lib/ruby/gems/2.0.0/gems/activesupport-3.2.18/lib/active_support/callbacks.rb:81:in `run_callbacks'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/middleware/callbacks.rb:27:in `call'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/middleware/remote_ip.rb:31:in `call'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/middleware/debug_exceptions.rb:16:in `call'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/middleware/show_exceptions.rb:56:in `call'
/usr/lib/ruby/gems/2.0.0/gems/railties-3.2.18/lib/rails/rack/logger.rb:32:in `call_app'
/usr/lib/ruby/gems/2.0.0/gems/railties-3.2.18/lib/rails/rack/logger.rb:16:in `block in call'
/usr/lib/ruby/gems/2.0.0/gems/activesupport-3.2.18/lib/active_support/tagged_logging.rb:22:in `tagged'
/usr/lib/ruby/gems/2.0.0/gems/railties-3.2.18/lib/rails/rack/logger.rb:16:in `call'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/middleware/request_id.rb:22:in `call'
/usr/lib/ruby/gems/2.0.0/gems/rack-1.4.5/lib/rack/methodoverride.rb:21:in `call'
/usr/lib/ruby/gems/2.0.0/gems/rack-1.4.5/lib/rack/runtime.rb:17:in `call'
/usr/lib/ruby/gems/2.0.0/gems/activesupport-3.2.18/lib/active_support/cache/strategy/local_cache.rb:72:in `call'
/usr/lib/ruby/gems/2.0.0/gems/rack-1.4.5/lib/rack/lock.rb:15:in `call'
/usr/lib/ruby/gems/2.0.0/gems/actionpack-3.2.18/lib/action_dispatch/middleware/static.rb:63:in `call'
/usr/lib/ruby/gems/2.0.0/gems/rack-cache-1.2/lib/rack/cache/context.rb:136:in `forward'
/usr/lib/ruby/gems/2.0.0/gems/rack-cache-1.2/lib/rack/cache/context.rb:143:in `pass'
/usr/lib/ruby/gems/2.0.0/gems/rack-cache-1.2/lib/rack/cache/context.rb:155:in `invalidate'
/usr/lib/ruby/gems/2.0.0/gems/rack-cache-1.2/lib/rack/cache/context.rb:71:in `call!'
/usr/lib/ruby/gems/2.0.0/gems/rack-cache-1.2/lib/rack/cache/context.rb:51:in `call'
/usr/lib/ruby/gems/2.0.0/gems/railties-3.2.18/lib/rails/engine.rb:484:in `call'
/usr/lib/ruby/gems/2.0.0/gems/railties-3.2.18/lib/rails/application.rb:231:in `call'
/usr/lib/ruby/gems/2.0.0/gems/railties-3.2.18/lib/rails/railtie/configurable.rb:30:in `method_missing'
/usr/lib/ruby/gems/2.0.0/gems/rack-1.4.5/lib/rack/builder.rb:134:in `call'
/usr/lib/ruby/gems/2.0.0/gems/rack-1.4.5/lib/rack/urlmap.rb:64:in `block in call'
/usr/lib/ruby/gems/2.0.0/gems/rack-1.4.5/lib/rack/urlmap.rb:49:in `each'
/usr/lib/ruby/gems/2.0.0/gems/rack-1.4.5/lib/rack/urlmap.rb:49:in `call'
/usr/lib/ruby/gems/2.0.0/gems/rack-1.4.5/lib/rack/content_length.rb:14:in `call'
/usr/lib/ruby/gems/2.0.0/gems/railties-3.2.18/lib/rails/rack/log_tailer.rb:17:in `call'
/usr/lib/ruby/gems/2.0.0/gems/thin-1.6.2/lib/thin/connection.rb:86:in `block in pre_process'
/usr/lib/ruby/gems/2.0.0/gems/thin-1.6.2/lib/thin/connection.rb:84:in `catch'
/usr/lib/ruby/gems/2.0.0/gems/thin-1.6.2/lib/thin/connection.rb:84:in `pre_process'
/usr/lib/ruby/gems/2.0.0/gems/thin-1.6.2/lib/thin/connection.rb:53:in `process'
/usr/lib/ruby/gems/2.0.0/gems/thin-1.6.2/lib/thin/connection.rb:39:in `receive_data'
/usr/lib/ruby/gems/2.0.0/gems/eventmachine-1.0.3/lib/eventmachine.rb:187:in `run_machine'
/usr/lib/ruby/gems/2.0.0/gems/eventmachine-1.0.3/lib/eventmachine.rb:187:in `run'
/usr/lib/ruby/gems/2.0.0/gems/thin-1.6.2/lib/thin/backends/base.rb:73:in `start'
/usr/lib/ruby/gems/2.0.0/gems/thin-1.6.2/lib/thin/server.rb:162:in `start'
/usr/lib/ruby/gems/2.0.0/gems/rack-1.4.5/lib/rack/handler/thin.rb:13:in `run'
/usr/lib/ruby/gems/2.0.0/gems/rack-1.4.5/lib/rack/server.rb:268:in `start'
/usr/lib/ruby/gems/2.0.0/gems/railties-3.2.18/lib/rails/commands/server.rb:70:in `start'
/usr/lib/ruby/gems/2.0.0/gems/railties-3.2.18/lib/rails/commands.rb:55:in `block in <top (required)>'
>'
/usr/lib/ruby/gems/2.0.0/gems/railties-3.2.18/lib/rails/commands.rb:50:in `tap'
/usr/lib/ruby/gems/2.0.0/gems/railties-3.2.18/lib/rails/commands.rb:50:in `<top (required)>'

```

```
script/rails:6:in `require'
script/rails:6:in `<main>'
  Rendered common/500.html.erb within layouts/application (3.9ms)
  Rendered layouts/base.html.erb (1.1ms)
Completed 500 Internal Server Error in 9.8ms (Views: 6.1ms | ActiveRecord: 1.5ms)
```

#### Related issues:

Has duplicate Foreman - Bug #6000: on 1.5 hosts build on compute resources re...	Duplicate	05/30/2014
Has duplicate Foreman - Bug #15074: cloud init fails to mark instance as built	Duplicate	05/17/2016

#### Associated revisions

##### Revision adc47612 - 05/16/2014 05:09 AM - Romain Vrignaud

Fix #5754 Fix cloud-init phone\_home function

##### Revision f7e359c9 - 06/11/2014 01:08 PM - Romain Vrignaud

Fixes #5754 Fix cloud-init phone\_home function

#### History

##### #1 - 05/16/2014 09:11 AM - Dominic Cleal

- Project changed from Templates to Foreman
- Category set to Templates
- Status changed from Assigned to Closed
- Target version set to 1.8.3
- % Done changed from 0 to 100
- translation missing: en.field\_release set to 16

<https://github.com/theforeman/community-templates/commit/adc4761238bbf1a1a1fecb6f64772a2c19619bf8>

Needs syncing to core.

##### #2 - 06/02/2014 10:20 AM - Dominic Cleal

- Has duplicate Bug #6000: on 1.5 hosts build on compute resources remain in "building" indefinitely added

##### #3 - 06/10/2014 12:49 PM - Bryan Kearney

- Bugzilla link set to [https://bugzilla.redhat.com/show\\_bug.cgi?id=1107690](https://bugzilla.redhat.com/show_bug.cgi?id=1107690)

##### #4 - 05/18/2016 03:07 AM - Dominic Cleal

- Has duplicate Bug #15074: cloud init fails to mark instance as built added