

## Katello - Bug #5802

### Hammer doesn't add the list of systems to selected host collection

05/19/2014 09:41 PM - Brad Buckingham

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>	dustin tsang	
<b>Category:</b>	Hammer	
<b>Target version:</b>	Katello 2.0	
<b>Difficulty:</b>		<b>Fixed in Releases:</b>
<b>Triaged:</b>	Yes	<b>Found in Releases:</b>
<b>Bugzilla link:</b>	1097633	<b>Red Hat JIRA:</b>
<b>Pull request:</b>		

#### Description

Cloned from [https://bugzilla.redhat.com/show\\_bug.cgi?id=1097633](https://bugzilla.redhat.com/show_bug.cgi?id=1097633)

Description of problem:

Here are list of system:

```
[root@dhcp201-170 ~]# hammer content-host list --organization ACME_Corporation
```

```
-----|-----  
ID          | NAME  
-----|-----  
9405ef11-1cc3-4b76-998e-50942d59df1a | test.katellolabs.org  
cbd4ed98-12a2-4d9d-a602-2f7ec8e9407c | shost.katellolabs.org  
5be37de7-3da9-4810-9f7e-2e905114a28f | provisionhttp.katellolabs.org  
d3dab85f-0b50-4217-bf45-b816f398aa40 | lucky9.katellolabs.org  
-----|-----
```

I created a host collection and pass the ID of first system(test.katellolabs.org) to add into the host-collection. Commands was successful but info command doesn't update the count.

```
[root@dhcp201-170 ~]# hammer host-collection create --description "test" --max-content-hosts 01 --name testcollection5  
--organization ACME_Corporation --system-ids 9405ef11-1cc3-4b76-998e-50942d59df1a  
Host collection created
```

```
[root@dhcp201-170 ~]# hammer host-collection info --organization ACME_Corporation --name testcollection5  
ID:          12  
Name:        testcollection5  
Limit:       1  
Description: test  
Total Content Hosts: 0  
Max Content Hosts: 1
```

This shows:

Total Content Hosts: 0

It should be 1

Version-Release number of selected component (if applicable):

sat6 beta snap4:

Satellite-6.0.3-RHEL-6-20140508.1

- apr-util-ldap-1.3.9-3.el6\_0.1.x86\_64
- candlepin-0.9.7-1.el6\_5.noarch
- candlepin-scl-1-5.el6\_4.noarch
- candlepin-scl-quartz-2.1.5-5.el6\_4.noarch
- candlepin-scl-rhino-1.7R3-1.el6\_4.noarch
- candlepin-scl-runtime-1-5.el6\_4.noarch
- candlepin-selinux-0.9.7-1.el6\_5.noarch

- candlepin-tomcat6-0.9.7-1.el6\_5.noarch
- elasticsearch-0.90.10-4.el6sat.noarch
- foreman-1.6.0.7-1.el6sat.noarch
- foreman-compute-1.6.0.7-1.el6sat.noarch
- foreman-gce-1.6.0.7-1.el6sat.noarch
- foreman-libvirt-1.6.0.7-1.el6sat.noarch
- foreman-ovirt-1.6.0.7-1.el6sat.noarch
- foreman-postgresql-1.6.0.7-1.el6sat.noarch
- foreman-proxy-1.6.0.4-1.el6sat.noarch
- foreman-selinux-1.5.0-0.develop.el6sat.noarch
- foreman-vmware-1.6.0.7-1.el6sat.noarch
- katello-1.5.0-22.el6sat.noarch
- katello-ca-1.0-1.noarch
- katello-certs-tools-1.5.5-1.el6sat.noarch
- katello-installer-0.0.37-1.el6sat.noarch
- openldap-2.4.23-32.el6\_4.1.x86\_64
- pulp-katello-plugins-0.2-1.el6sat.noarch
- pulp-nodes-common-2.3.1-0.4.beta.el6sat.noarch
- pulp-nodes-parent-2.3.1-0.4.beta.el6sat.noarch
- pulp-puppet-plugins-2.3.1-0.4.beta.el6sat.noarch
- pulp-rpm-plugins-2.3.1-0.4.beta.el6sat.noarch
- pulp-selinux-2.3.1-0.4.beta.el6sat.noarch
- pulp-server-2.3.1-0.4.beta.el6sat.noarch
- python-ldap-2.3.10-1.el6.x86\_64
- ruby193-rubygem-ldap\_fluff-0.2.2-2.el6sat.noarch
- ruby193-rubygem-net-ldap-0.3.1-3.el6sat.noarch
- ruby193-rubygem-runcible-1.0.8-1.el6sat.noarch
- rubygem-hammer\_cli-0.1.0-12.el6sat.noarch
- rubygem-hammer\_cli\_foreman-0.1.0-12.el6sat.noarch
- rubygem-hammer\_cli\_foreman\_tasks-0.0.2-5.el6sat.noarch
- rubygem-hammer\_cli\_katello-0.0.3-22.el6sat.noarch

How reproducible:  
always

Steps to Reproduce:

- 1.
- 2.
- 3.

Actual results:

Expected results:

Additional info:

## Associated revisions

### Revision 0867b36b - 06/02/2014 02:24 PM - dustin tsang

Fixes #5802 - HC update/create using system uuids

Alter Host Collection api update/create actions to accept system uuids.  
This is a fix related to hammer-cli-katello commands where some of the commands take uuids and others take the data base id. This allows the cli commands to uniformly take uuids.

- also added class\_name to relation for system in SystemHostCollection

### Revision 3eee12c9 - 06/02/2014 02:51 PM - Thomas McKay

Merge pull request #4175 from dustint-rh/host\_collections\_create\_take\_uuid

Fixes #5802 - HC update/create using system uuids

### Revision fe760e6e - 06/02/2014 04:03 PM - dustin tsang

Fixes #5802 HC update/create using system uuids

Host Collections update/create take uuids instead of ids to follow

other commands in Host Collections. Also updates Host Collections content-host command to display uuids as ids.

**Revision 3d60a40e - 06/02/2014 04:15 PM - dustin tsang**

Merge pull request #178 from dustint-rh/host\_collection\_create\_take\_sys\_uuid

Fixes #5802 HC update/create using system uuids

**History**

---

**#1 - 05/19/2014 09:41 PM - Brad Buckingham**

- *Triaged set to Yes*

**#2 - 05/29/2014 01:34 PM - Eric Helms**

- *Target version set to 45*

**#3 - 06/02/2014 02:52 PM - dustin tsang**

- *Status changed from New to Closed*

- *% Done changed from 0 to 100*

Applied in changeset katello|commit:0867b36b1e01fe6bdf2470a17038ec6edb2bcbab.

**#4 - 08/22/2014 08:25 AM - Eric Helms**

- *translation missing: en.field\_release set to 13*