

## Foreman - Bug #5855

### Cannot select vSphere clusters in folders (foreman-vmware)

05/21/2014 03:30 PM - drew jess

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b> Shlomi Zadok	
<b>Category:</b> Compute resources - VMware	
<b>Target version:</b> 1.8.0	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b>	<b>Found in Releases:</b> 1.5.0
<b>Bugzilla link:</b>	<b>Red Hat JIRA:</b>
<b>Pull request:</b>	
<b>Description</b>	
<p>I have a VMWare vCentre Server (version 5.1) with two clusters assigned to a Datacentre. Cluster1 is contained within a Folder (Folder1). Cluster2 is not contained within any Folders.</p> <p>I can successfully create a VMWare Compute Resource in the Infrastructure -&gt; Compute Resource screen. I can select the correct datacentre. Following this I access the Hosts -&gt; New Host screen. I select the "Deploy on" drop down menu and select &lt;my_compute_resource&gt;.</p> <p>Following this, I access the Virtual Machine tab and open the Cluster drop down box. I can see only Cluster2.</p> <p>I have full administrative privileges on the relevant Datacentre.</p> <p>I believe there is an issue displaying Clusters that are contained within Folders.</p> <p>Software versions: [root@utiod1454 facter]# rpm -qa   grep foreman foreman-release-1.5.0-1.el6.noarch foreman-compute-1.5.0-1.el6.noarch rubygem-foreman_api-0.1.11-1.el6.noarch foreman-proxy-1.5.0-1.el6.noarch foreman-1.5.0-1.el6.noarch ruby193-rubygem-foreman_bootdisk-2.0.6-1.el6.noarch ruby193-rubygem-foreman_setup-2.0.3-1.el6.noarch foreman-vmware-1.5.0-1.el6.noarch foreman-installer-1.5.0-1.el6.noarch foreman-postgresql-1.5.0-1.el6.noarch</p> <p>Browser: Latest Chrome</p>	
<b>Related issues:</b>	
Related to Foreman - Bug #8581: Can't provision a new host if vmware cluster ...	<b>Closed</b> 12/04/2014
Has duplicate Foreman - Bug #7518: VMware cluster inside a folder cannot be f...	<b>Duplicate</b> 09/18/2014
Blocked by Foreman - Refactor #8357: Update fog version to 1.25.x	<b>Closed</b> 11/12/2014

### History

#### #1 - 07/29/2014 09:40 AM - Dominic Cleal

- Category changed from Compute resources to Compute resources - VMware

#### #2 - 10/03/2014 03:11 AM - Dominic Cleal

- Has duplicate Bug #7518: VMware cluster inside a folder cannot be found added

#### #3 - 11/12/2014 02:19 AM - Shlomi Zadok

- Related to Refactor #8357: Update fog version to 1.25.x added

#### #4 - 11/12/2014 07:21 AM - Shlomi Zadok

- Related to deleted (Refactor #8357: Update fog version to 1.25.x)

#### #5 - 11/12/2014 07:21 AM - Shlomi Zadok

- Blocked by Refactor #8357: Update fog version to 1.25.x added

#### #6 - 11/26/2014 07:39 AM - Dominic Cleal

- Status changed from New to Closed

- Assignee set to Shlomi Zadok

- % Done changed from 0 to 100

- translation missing: en.field\_release set to 29

<https://github.com/fog/fog/commit/af6c7c9>

#### #7 - 12/02/2014 01:53 PM - Gabriel Rosca

So this path fixed the loading clusters that are in the folders.

I applied the path I load the Cluster but when I try to deploy an VM I get the error bellow.

```
ComputeResource Exists (0.4ms) SELECT 1 AS one FROM "compute_resources" WHERE ("compute_resources"."name" = '
PTC_DEV' AND "compute_resources"."id" != 1) LIMIT 1
Successfully decrypted field for Foreman::Model::Vmware PTC_DEV
Successfully decrypted field for Foreman::Model::Vmware PTC_DEV
Failed to create a compute PTC_DEV (VMWare) instance test55.ptc.xxx.org: failed to create vm: undefined method
`resourcePool' for nil:NilClass
/opt/rh/ruby193/root/usr/share/gems/gems/fog-1.23.0/lib/fog/vsphere/requests/compute/create_vm.rb:28:in `resc
ue in create_vm'
/opt/rh/ruby193/root/usr/share/gems/gems/fog-1.23.0/lib/fog/vsphere/requests/compute/create_vm.rb:8:in `create
_vm'
/opt/rh/ruby193/root/usr/share/gems/gems/fog-1.23.0/lib/fog/vsphere/models/compute/server.rb:232:in `save'
/usr/share/foreman/app/models/compute_resources/foreman/model/vmware.rb:318:in `create_vm'
/usr/share/foreman/app/models/concerns/orchestration/compute.rb:74:in `setCompute'
/usr/share/foreman/app/models/concerns/orchestration.rb:137:in `execute'
/usr/share/foreman/app/models/concerns/orchestration.rb:85:in `block in process'
/usr/share/foreman/app/models/concerns/orchestration.rb:77:in `each'
/usr/share/foreman/app/models/concerns/orchestration.rb:77:in `process'
/usr/share/foreman/app/models/concerns/orchestration.rb:18:in `on_save'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_support/callbacks.rb:660:in `_run__594
104630876458823__save__2851592362164217118__callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_support/callbacks.rb:405:in `__run_cal
lback'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_support/callbacks.rb:385:in `_run_save
_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_support/callbacks.rb:81:in `run_callba
cks'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:264:in `create_or_u
pdate'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/persistence.rb:84:in `save'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/validations.rb:50:in `save'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/attribute_methods/dirty.rb:22:in
`save'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:241:in `block (2
levels) in save'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:295:in `block in
with_transaction_returning_status'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract/dat
abase_statements.rb:192:in `transaction'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:208:in `transact
ion'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:293:in `with_tra
nsaction_returning_status'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:241:in `block in
save'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:252:in `rollback
_active_record_state!'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:240:in `save'
/usr/share/foreman/app/models/concerns/foreman/sti.rb:29:in `save_with_type'
/usr/share/foreman/app/controllers/hosts_controller.rb:90:in `create'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/implicit_render.rb:4:in
```

```
`send_action'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/base.rb:167:in `process_acti  
on'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/rendering.rb:10:in `proc  
ess_action'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/callbacks.rb:18:in `block in  
process_action'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:538:in `block (3  
levels) in run_2203786535508040475__process_action__3545682829055175656__callbacks'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:215:in `block in  
conditional_callback_around_9866'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:326:in `around'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:310:in `__callback  
_around_1833'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:214:in `__conditio  
nal_callback_around_9866'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:537:in `block (2  
levels) in _run_2203786535508040475__process_action__3545682829055175656__callbacks'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:215:in `block in  
conditional_callback_around_9865'  
/usr/share/foreman/app/models/concerns/foreman/thread_session.rb:33:in `clear_thread'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:214:in `__conditio  
nal_callback_around_9865'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:426:in `block in  
_run_2203786535508040475__process_action__3545682829055175656__callbacks'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:215:in `block in  
conditional_callback_around_9864'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:326:in `around'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:310:in `__callback  
_around_13'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:214:in `__conditio  
nal_callback_around_9864'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:414:in `__run  
_2203786535508040475__process_action__3545682829055175656__callbacks'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:405:in `__run_cal  
lback'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:385:in `__run_proc  
ess_action_callbacks'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:81:in `run_callba  
cks'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/callbacks.rb:17:in `process_  
action'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/rescue.rb:29:in `process  
_action'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/instrumentation.rb:30:in  
`block in process_action'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/notifications.rb:123:in `block  
in instrument'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/notifications/instrumenter.rb:  
20:in `instrument'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/notifications.rb:123:in `instr  
ument'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/instrumentation.rb:29:in  
`process_action'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/params_wrapper.rb:207:in  
`process_action'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/railties/controller_runtime.rb:1  
8:in `process_action'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/base.rb:121:in `process'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/rendering.rb:45:in `process'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal.rb:203:in `dispatch'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/rack_delegation.rb:14:in  
`dispatch'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal.rb:246:in `block in acti  
on'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb:73:in `call  
'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb:73:in `disp  
atch'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb:36:in `call  
'  
/opt/rh/ruby193/root/usr/share/gems/gems/journey-1.0.4/lib/journey/router.rb:68:in `block in call'  
/opt/rh/ruby193/root/usr/share/gems/gems/journey-1.0.4/lib/journey/router.rb:56:in `each'  
/opt/rh/ruby193/root/usr/share/gems/gems/journey-1.0.4/lib/journey/router.rb:56:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb:600:in `cal
```

```
l'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/static.rb:62:in `call'  
,  
/opt/rh/ruby193/root/usr/share/gems/gems/apipie-rails-0.2.5/lib/apipie/extractor/recorder.rb:97:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/static.rb:62:in `call'  
,  
/opt/rh/ruby193/root/usr/share/gems/gems/apipie-rails-0.2.5/lib/apipie/middleware/checksum_in_headers.rb:27:in  
`call'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/best_standards_support  
.rb:17:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/etag.rb:23:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/conditionalget.rb:35:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/head.rb:14:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/params_parser.rb:21:in  
`call'  
/usr/share/foreman/lib/middleware/catch_json_parse_errors.rb:9:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/flash.rb:242:in `call'  
,  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/session/abstract/id.rb:205:in `context'  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/session/abstract/id.rb:200:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/cookies.rb:339:in `ca  
ll'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/query_cache.rb:64:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract/con  
nection_pool.rb:473:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/callbacks.rb:28:in `b  
lock in call'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:405:in `__run__277  
4819044535711774__call__2851592362164217118__callbacks'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:405:in `__run_cal  
lback'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:385:in `__run_call  
_callbacks'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:81:in `run_callba  
cks'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/callbacks.rb:27:in `c  
all'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/remote_ip.rb:31:in `c  
all'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/debug_exceptions.rb:1  
6:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/show_exceptions.rb:56  
:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/katello-2.0.0/lib/katello/middleware/silenced_logger.rb:30:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/request_id.rb:22:in `c  
all'  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/methodoverride.rb:21:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/runtime.rb:17:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/cache/strategy/local_cache.rb:  
72:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/lock.rb:15:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/static.rb:62:in `call'  
,  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:136:in `forward'  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:143:in `pass'  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:155:in `invalidate'  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:71:in `call!'  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:51:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/engine.rb:479:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/application.rb:223:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/railtie/configurable.rb:30:in `method_missin  
g'  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/builder.rb:134:in `call'  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/urlmap.rb:64:in `block in call'  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/urlmap.rb:49:in `each'  
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/urlmap.rb:49:in `call'  
/usr/share/gems/gems/passenger-4.0.18/lib/phusion_passenger/rack/thread_handler_extension.rb:77:in `process_re  
quest'  
/usr/share/gems/gems/passenger-4.0.18/lib/phusion_passenger/request_handler/thread_handler.rb:140:in `accept_a  
nd_process_next_request'  
/usr/share/gems/gems/passenger-4.0.18/lib/phusion_passenger/request_handler/thread_handler.rb:108:in `main_loo  
p'  
/usr/share/gems/gems/passenger-4.0.18/lib/phusion_passenger/request_handler.rb:441:in `block (3 levels) in sta  
rt_threads'  
/opt/rh/ruby193/root/usr/share/gems/gems/logging-1.8.1/lib/logging/diagnostic_context.rb:323:in `call'
```

```
/opt/rh/ruby193/root/usr/share/gems/gems/logging-1.8.1/lib/logging/diagnostic_context.rb:323:in `block in create_with_logging_context'
```

```
Rolling back due to a problem: [Set up compute instance test55.ptc.xxx.org 2 failed [#<Host::Managed id: nil, name: "test55.ptc.xxx.org", ip: nil, last_compile: nil, last_freshcheck: nil, last_report: nil, updated_at: nil, source_file_id: nil, created_at: nil, mac: nil, root_pass: "$1$xa7rkEih$25doYetYDHStny6YW2rlw.", serial: nil, puppet_status: 0, domain_id: 1, architecture_id: 1, operatingsystem_id: 4, environment_id: 1, subnet_id: 1, ptable_id: 7, medium_id: nil, build: true, comment: "", disk: "", installed_at: nil, model_id: nil, hostgroup_id: 2, owner_id: 3, owner_type: "User", enabled: true, puppet_ca_proxy_id: 1, managed: true, use_image: nil, image_file: nil, uuid: nil, compute_resource_id: 1, puppet_proxy_id: 1, certname: nil, image_id: nil, organization_id: 3, location_id: 4, type: "Host::Managed", otp: nil, realm_id: nil, compute_profile_id: 4, provision_method: "build", content_source_id: 1>]; :setCompute]]
```

```
(0.4ms) ROLLBACK
```

```
CACHE (0.0ms) SELECT "taxonomies".* FROM "taxonomies" WHERE "taxonomies"."type" IN ('Organization') AND "taxonomies"."id" = 3 ORDER BY title LIMIT 1
```

```
CACHE (0.0ms) SELECT "taxonomies".* FROM "taxonomies" WHERE "taxonomies"."type" IN ('Location') AND "taxonomies"."id" = 4 ORDER BY title LIMIT 1
```

```
Failed to save: Failed to create a compute PTC_DEV (VMWare) instance test55.ptc.xxx.org: failed to create vm: undefined method `resourcePool' for nil:NilClass
```

```
Rendered hosts/_progress.html.erb (0.1ms)
```

```
Setting current organization thread-local variable to OICT
```

```
Setting current location thread-local variable to PTC
```

#### **#8 - 12/05/2014 03:26 AM - Dominic Cleal**

- Related to Bug #8581: Can't provision a new host if vmware cluster is under folder added

#### **#9 - 12/05/2014 03:58 AM - Dominic Cleal**

- translation missing: en.field\_release changed from 29 to 28