

## Foreman - Bug #5861

### UnattendedHelper 'ks\_console' method needs documentation or cleanup

05/21/2014 06:13 PM - Kevin Mullin

|                            |                           |
|----------------------------|---------------------------|
| <b>Status:</b> New         |                           |
| <b>Priority:</b> Low       |                           |
| <b>Assignee:</b>           |                           |
| <b>Category:</b> Templates |                           |
| <b>Target version:</b>     |                           |
| <b>Difficulty:</b>         | <b>Fixed in Releases:</b> |
| <b>Triaged:</b>            | <b>Found in Releases:</b> |
| <b>Bugzilla link:</b>      | <b>Red Hat JIRA:</b>      |
| <b>Pull request:</b>       |                           |

#### Description

Going through the template writing Wiki, I noticed that there was a helper method to create serial console entries for PXELinux templates.

<http://projects.theforeman.org/projects/foreman/wiki/TemplateWriting#Functions-and-macros>

Upon trying to actually use the method, I couldn't figure out how it worked.

After asking in #theforeman in IRC, Ohad eventually responded with:

```
22:56 <ohadlevy> it was a very old leftover, probably needs picking up fixing, mind creating an issue?
```

Either this helper needs to be better documented, or 'cleaned up' since its apparently old.

#### History

##### #1 - 05/21/2014 06:15 PM - Kevin Mullin

Forgot to leave a link to the code in question:

[https://github.com/theforeman/foreman/blob/master/app/helpers/unattended\\_helper.rb#L4-L6](https://github.com/theforeman/foreman/blob/master/app/helpers/unattended_helper.rb#L4-L6)

##### #2 - 05/22/2014 08:16 AM - Dominic Cleal

- Category set to Templates