

Foreman - Bug #5904

Deleting a smart proxy should be easier due to number of associations

05/23/2014 10:10 AM - Dominic Cleal

<b>Status:</b>	New	
<b>Priority:</b>	Normal	
<b>Assignee:</b>		
<b>Category:</b>	Database	
<b>Target version:</b>		
<b>Difficulty:</b>		
<b>Triaged:</b>		
<b>Bugzilla link:</b>		
<b>Pull request:</b>		<b>Fixed in Releases:</b>
		<b>Found in Releases:</b>
		<b>Red Hat JIRA:</b>
<b>Description</b>		
Deleting a smart proxy isn't a user-friendly process at the moment, especially for a Puppet proxy as it may be associated directly to many hosts and host groups.		
Both a before_destroy hook and foreign keys prevent it being deleted right now, but we should consider either nullifying associations automatically and/or warning the user and allowing them to break the associations.		
<b>Related issues:</b>		
Related to Smart Proxy - Bug #5903: Deleting smart proxy from GUI fails		<b>Duplicate</b> <b>05/23/2014</b>
Related to Foreman - Bug #5788: before_destroy missing from EnsureNotUsedBy.n...		<b>Closed</b> <b>05/19/2014</b>

History

#1 - 05/23/2014 10:11 AM - Dominic Cleal

- Related to Bug #5903: Deleting smart proxy from GUI fails added

#2 - 05/23/2014 10:11 AM - Dominic Cleal

- Related to Bug #5788: before\_destroy missing from EnsureNotUsedBy.new in SmartProxy model added