

Foreman - Bug #6167

New Host: selection of "Host Group" and "Deploy on" is user-unfriendly

06/11/2014 03:44 PM - Dominic Cleal

Status:	Closed	Fixed in Releases: Found in Releases: Red Hat JIRA:
Priority:	Normal	
Assignee:	Ondřej Pražák	
Category:	Host creation	
Target version:	1.12.0	
Difficulty:		
Triaged:		
Bugzilla link:	1108252	
Pull request:	https://github.com/theforeman/foreman/pull/3302	
Description		
Cloned from https://bugzilla.redhat.com/show_bug.cgi?id=1108252		
Description of problem: The contents of "Host Group" affects the contents of the two drop downs ("Environment", "Content View") that exist below the "Deploy on" field. As such, these three fields should be grouped together. A side effect of this, however, is that if user selects a group and then quickly selects a provisioning type ("Deploy on"), the UI gets refreshed after group/environment/content view are populated, and the user's selection is reset.		
Version-Release number of selected component (if applicable): Satellite-6.0.3-RHEL-6-20140605.0		
How reproducible:		
Steps to Reproduce: 1. Assure you have at least one host group created and at least one provisioning type other than baremetal created (i.e., libvirt) 2. Hosts > New Host 3. begin populating fields; choose a group from your Host Groups list and then quickly select a provisioning type in "Deploy on". 4. Wait for UI to refresh with contents for Environment, Content View; observe results.		
Actual results: Once the appropriate values are auto-filled -- i.e., the page has been refreshed -- the user's deploy method selection has been reset.		
Expected results: Something a little more user-friendly. Reversing the location of these two fields solves two issues: <ul style="list-style-type: none">• It appropriately positions the "Host Group" field with the two accompanying fields that rely on its input• It makes it much less likely that user's selection for "Deploy on" gets reset.		
Additional info: Current workaround is to select "deploy on" method first, or simply wait for UI to completely refresh after selecting Host Group.		
Related issues:		
Related to Foreman - Bug #3218: CR external calls are performed twice		Closed 10/08/2013

Associated revisions

Revision f9f8b025 - 04/14/2016 09:48 AM - Ondřej Pražák

Fixes #6167 - 'Deployed on' dropdown in hosts/new form disabled until ajax on hostgroup_changed is resolved

History

#1 - 06/11/2014 03:45 PM - Dominic Cleal

- Category set to Host creation

The fields are laid out this way deliberately, as this is a performance enhancement and it'll be much slower if swapped back ([#3218](#) has background).

I would suggest "Deploy on" is either disabled temporarily while host group is reloading, or we're careful to keep the user's deploy on selection when the form is reloaded.

#2 - 06/11/2014 03:45 PM - Dominic Cleal

- *Related to Bug #3218: CR external calls are performed twice added*

#3 - 03/09/2016 08:56 AM - The Foreman Bot

- *Status changed from New to Ready For Testing*

- *Assignee set to Ondřej Pražák*

- *Pull request <https://github.com/theforeman/foreman/pull/3302> added*

#4 - 04/14/2016 10:01 AM - Ondřej Pražák

- *Status changed from Ready For Testing to Closed*

- *% Done changed from 0 to 100*

Applied in changeset [f9f8b02563173d24e4f19f2f42ddff1c5ed1722a](#).

#5 - 04/15/2016 04:56 AM - Dominic Cleal

- *translation missing: en.field_release set to 136*