

Katello - Bug #6198

Elasticsearch queries that load records from the database should only fetch the ID field

06/12/2014 05:24 PM - Eric Helms

Status:	Closed	Fixed in Releases: Found in Releases: Red Hat JIRA:
Priority:	Normal	
Assignee:	Eric Helms	
Category:	API	
Target version:	Katello 2.0	
Difficulty:	trivial	
Triaged:	Yes	
Bugzilla link:	1112762	
Pull request:		
Description		

Associated revisions

Revision 846fcb05 - 06/12/2014 05:25 PM - Eric Helms

Fixes #6198: API methods that load database records should request only ID field.

During creation of the API search service utility, the loading of only ID field for records being loaded from the database was incorrectly handled. This change corrects that mistake and provides sped-up loading times. For example, in development, a 20 item content host list was reduced by 2-3 seconds on average.

Revision d83a9473 - 06/12/2014 07:56 PM - Eric Helms

Merge pull request #4258 from ehelms/fixes-6198

Fixes #6198: API methods that load database records should request only ...

History

#1 - 06/12/2014 08:53 PM - Eric Helms

- Status changed from Assigned to Closed
- % Done changed from 0 to 100

Applied in changeset katello|commit:846fcb05edd244d344b2450b69f146c02a24125d.

#2 - 06/24/2014 03:56 PM - Eric Helms

- Bugzilla link set to https://bugzilla.redhat.com/show_bug.cgi?id=1112762