

Foreman - Bug #6370

assigning provisioning template to operating system is not straight forward

06/25/2014 06:55 AM - Dominic Cleal

Status: Duplicate	
Priority: Normal	
Assignee:	
Category: Templates	
Target version:	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link: 1107743	Red Hat JIRA:
Pull request: https://github.com/theforeman/foreman/pull/1662	
Description Cloned from https://bugzilla.redhat.com/show_bug.cgi?id=1107743	
Description of problem: Assigning provisioning template to operating system is not straight forward - requires multiple steps which seems redundant to me and if they are not, there is not enough inline help/tips helping to explain the problem	
Version-Release number of selected component (if applicable): foreman 1.12	
How reproducible: always	
Steps to Reproduce: 1. Create operating system 2. Hosts -> Provisioning templates -> Kickstart default user data -> -> Association -> check checkbox nex to <your_operating_system> -> Submit 3. Hosts -> Operating systems -> <your_operating_system> -> Templates -> -> select "Kickstart default user data" in "user_data" drop-down element -> -> Submit	
Actual results: Steps 2. or 3. seems redundant to me	
Expected results: One of steps 2. or 3. might be redundant, or webUI could be altered to help me to understand this is needed (e.g. some hints added?)	
Related issues: Related to Foreman - Tracker #6631: Provisioning Template Improvements New 07/16/2014	

History

#1 - 06/25/2014 06:57 AM - Dominic Cleal

- Category set to Templates
- Assignee deleted (Dominic Cleal)

foreman_setup helps a lot here for setting up the first OS.

#2 - 07/03/2014 05:01 AM - David Schmitt

I've noticed this redundancy too. While foreman_setup helps with the first, it is still a stumbling block for all the other OS/template associations that will be configured.

#3 - 07/16/2014 05:46 AM - Stephen Benjamin

- Related to Tracker #6631: Provisioning Template Improvements added

#4 - 08/07/2014 09:51 AM - The Foreman Bot

- Status changed from New to Ready For Testing
- Target version set to 1.7.5
- Pull request <https://github.com/foreman/foreman/pull/1662> added

#5 - 08/20/2014 06:50 AM - Anonymous

- Target version changed from 1.7.5 to 1.7.4

#6 - 09/10/2014 07:21 AM - Anonymous

- Target version changed from 1.7.4 to 1.7.3

#7 - 09/30/2014 10:44 AM - Dominic Cleal

- Target version changed from 1.7.3 to 1.7.2

#8 - 10/17/2014 01:01 PM - Stephen Benjamin

- Status changed from Ready For Testing to New

#9 - 10/17/2014 01:01 PM - The Foreman Bot

- Status changed from New to Ready For Testing

#10 - 10/20/2014 03:49 AM - Dominic Cleal

- Status changed from Ready For Testing to New
- Target version deleted (1.7.2)

#11 - 01/22/2015 12:09 PM - Markus Frosch

Wouldn't it be the easiest way to use the OSfamily?

- Template -> OSfamily
- OS -> Template

Question is how to do the migration, lookup OS references in template, and replace by OSfamily link?

Or keep the old behavior invisibly available?

#12 - 09/01/2016 06:51 AM - Tomáš Strachota

- Description updated
- Target version set to 115

#13 - 06/13/2018 02:17 PM - Lukas Zapletal

- Status changed from New to Duplicate

I am gonna work on this as part of [#23923](#) so closing for now.