Foreman - Refactor #6560

Extract puppet specific fact parsing logic to isolated class

07/10/2014 04:30 AM - Marek Hulán

Status:	Closed		
Priority:	Normal		
Assignee:	Marek Hulán		
Category:	Facts		
Target version:	1.7.0		
Difficulty:		Fixed in Releases:	
Triaged:		Found in Releases:	
Bugzilla link:		Red Hat JIRA:	
Pull request:	https://github.com/theforeman/foreman/p ull/1578		
Description			
Currently we hardcode puppet facts format for parsing so when we want to create interfaces based on facts, we can support only puppet hosts. It would be nice to extract puppet parser into separate class and allow registering other parsers from plugins (similar to fact importer classes)			
Related issues:			
Blocks Foreman - Feature #6444: Add ancestry NICs and allow interfaces with s Closed 06/30/2014			
Associated revisions			
Revision 1d750dd7 - 08/07/2014 11:29 AM - Marek Hulán			
Fixes #6560 - Extract puppet parsing logic			
Revision cff5a66e - 08/11/2014 05:59 AM - Marek Hulán			
Refs #6560 - parsing method interface change			
History			
#1 - 07/10/2014 04:44 AM - Marek Hulán			

- Status changed from Assigned to Ready For Testing

PR https://github.com/theforeman/foreman/pull/1578

#2 - 07/10/2014 04:44 AM - Marek Hulán

- Blocks Feature #6444: Add ancestry NICs and allow interfaces with same MAC added

#3 - 07/30/2014 06:50 AM - Anonymous

- Target version changed from 1.8.0 to 1.7.5

#4 - 08/07/2014 05:10 AM - The Foreman Bot

- Pull request https://github.com/theforeman/foreman/pull/1578 added

- Pull request deleted ()

#5 - 08/07/2014 11:31 AM - Dominic Cleal

- translation missing: en.field_release set to 21

#6 - 08/07/2014 12:02 PM - Marek Hulán

- Status changed from Ready For Testing to Closed

- % Done changed from 0 to 100

Applied in changeset 1d750dd7e499c4b6c204aafc146176ae0e46344c.