

Katello - Bug #6682

katello-debug.sh should be moved instead of copied

07/17/2014 04:46 PM - Bryan Kearney

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>	Ivan Necas	
<b>Category:</b>		
<b>Target version:</b>	Katello 2.0	
<b>Difficulty:</b>		<b>Fixed in Releases:</b>
<b>Triaged:</b>	Yes	<b>Found in Releases:</b>
<b>Bugzilla link:</b>	1118910	<b>Red Hat JIRA:</b>
<b>Pull request:</b>	https://github.com/Katello/katello/pull/4461	

Description

Cloned from [https://bugzilla.redhat.com/show\\_bug.cgi?id=1118910](https://bugzilla.redhat.com/show_bug.cgi?id=1118910)

Description of problem:

when running katello-debug to collect logs it says command not found. we found the script that its supposed to call under /usr/share/katello/scripts/katello-debug.sh

when doing sh /usr/share/katello/scripts/katello-debug.sh it comes back with:

```
[root@toledosat6 script]# sh katello-debug.sh
katello-debug.sh: line 2: add_files: command not found
katello-debug.sh: line 5: add_files: command not found
katello-debug.sh: line 6: add_files: command not found
katello-debug.sh: line 7: add_files: command not found
katello-debug.sh: line 8: add_files: command not found
katello-debug.sh: line 11: add_files: command not found
katello-debug.sh: line 12: add_files: command not found
katello-debug.sh: line 15: add_files: command not found
katello-debug.sh: line 16: add_files: command not found
katello-debug.sh: line 17: add_files: command not found
katello-debug.sh: line 18: add_files: command not found
katello-debug.sh: line 19: add_files: command not found
katello-debug.sh: line 22: add_cmd: command not found
katello-debug.sh: line 25: add_files: command not found
katello-debug.sh: line 26: add_files: command not found
katello-debug.sh: line 27: add_files: command not found
katello-debug.sh: line 28: add_files: command not found
katello-debug.sh: line 29: add_files: command not found
katello-debug.sh: line 32: add_files: command not found
katello-debug.sh: line 33: add_files: command not found
katello-debug.sh: line 34: add_cmd: command not found
katello-debug.sh: line 35: add_files: command not found
```

How reproducible:

Steps to Reproduce:

- 1. run katello-debug = command not found
- 2. run the script at /usr/share/katello/scripts/katello-debug.sh
- 3. lots of errors with add\_cmd and add\_files command not found

Actual results:

```
[root@toledosat6 script]# sh katello-debug.sh
katello-debug.sh: line 2: add_files: command not found
katello-debug.sh: line 5: add_files: command not found
katello-debug.sh: line 6: add_files: command not found
katello-debug.sh: line 7: add_files: command not found
```

```
katello-debug.sh: line 8: add_files: command not found
katello-debug.sh: line 11: add_files: command not found
katello-debug.sh: line 12: add_files: command not found
katello-debug.sh: line 15: add_files: command not found
katello-debug.sh: line 16: add_files: command not found
katello-debug.sh: line 17: add_files: command not found
katello-debug.sh: line 18: add_files: command not found
katello-debug.sh: line 19: add_files: command not found
katello-debug.sh: line 22: add_cmd: command not found
katello-debug.sh: line 25: add_files: command not found
katello-debug.sh: line 26: add_files: command not found
katello-debug.sh: line 27: add_files: command not found
katello-debug.sh: line 28: add_files: command not found
katello-debug.sh: line 29: add_files: command not found
katello-debug.sh: line 32: add_files: command not found
katello-debug.sh: line 33: add_files: command not found
katello-debug.sh: line 34: add_cmd: command not found
katello-debug.sh: line 35: add_files: command not found
```

Expected results:

katello-debug to run ok

Here is the script:

```
1. General stuff
  add_files "/var/log/audit/audit.log"

1. Candlepin
  add_files "/var/log/candlepin/*"
  add_files "/var/log/tomcat6/*"
  add_files "/etc/candlepin/candlepin.conf"
  add_files "/etc/tomcat6/server.xml"

1. Elastic Search
  add_files "/var/log/elasticsearch/*"
  add_files "/etc/elasticsearch/*"

1. Pulp
  add_files "/etc/pulp/*.conf"
  add_files "/etc/pulp/server/plugins.conf.d/nodes/distributor/*"
  add_files "/var/log/pulp/*"
  add_files "/etc/httpd/conf.d/pulp.conf"
  add_files "/etc/qpid.conf"

#Grab the qpid items from syslog
add_cmd "cat /var/log/messages | grep qpid" "/var/log/qpid.log"

1. Splice
  add_files "/var/log/splice/*"
  add_files "/etc/splice/*"
  add_files "/etc/httpd/conf.d/splice.conf",
  add_files "/etc/cron.d/spacewalk-sst-sync"
  add_files "/etc/cron.d/splice-sst-sync"

1. Katello
  add_files "/var/log/katello/*"
  add_files "/var/log/katello-installer/*"
  add_cmd "find /root/ssl-build -ls | sort -k 11" "katello_ssl_build_dir"
  add_files "/etc/foreman/plugins/katello.yaml"
```

## Associated revisions

**Revision 41200b4d - 08/05/2014 03:34 PM - Bryan Kearney**

Fixes #6682 : Add a warning message if the user tries to run katello-debug.sh directly

**Revision 71d9d2b9 - 08/05/2014 04:07 PM - Bryan Kearney**

Merge pull request #4461 from bkearney/bkearney/6682

Fixes #6682: Move the katello-debug.sh script instead of linking it

## History

---

### #1 - 07/18/2014 03:51 PM - The Foreman Bot

- Status changed from New to Ready For Testing
- Target version set to 49
- Pull request <https://github.com/Katello/katello/pull/4461> added
- Pull request deleted ()

### #2 - 07/22/2014 02:00 PM - Eric Helms

- Triaged changed from No to Yes

### #3 - 07/28/2014 08:47 AM - Eric Helms

- Target version changed from 49 to 54

### #4 - 08/05/2014 05:01 PM - Bryan Kearney

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Applied in changeset [katello|41200b4d3333075db3ef1a55fe04236b4550c931](#).

### #5 - 08/22/2014 09:23 AM - Eric Helms

- translation missing: en.field\_release set to 13