

## Katello - Bug #6880

### katello/satellite kickstart default for rhel includes puppet in packages list, branding

08/01/2014 06:57 AM - Stephen Benjamin

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b> Stephen Benjamin	
<b>Category:</b> Hosts	
<b>Target version:</b> Katello 2.0	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b> Yes	<b>Found in Releases:</b>
<b>Bugzilla link:</b> 1102864	<b>Red Hat JIRA:</b>
<b>Pull request:</b> <a href="https://github.com/Katello/katello/pull/4516">https://github.com/Katello/katello/pull/4516</a>	
<b>Description</b>	
Cloned from <a href="https://bugzilla.redhat.com/show_bug.cgi?id=1102864">https://bugzilla.redhat.com/show_bug.cgi?id=1102864</a>	
Description of problem: the "Katello kickstart default for RHEL" template includes puppet in the packages list	
Version-Release number of selected component (if applicable): foreman-1.6.0.13-1.el6sat.noarch foreman-compute-1.6.0.13-1.el6sat.noarch foreman-gce-1.6.0.13-1.el6sat.noarch foreman-libvirt-1.6.0.13-1.el6sat.noarch foreman-ovirt-1.6.0.13-1.el6sat.noarch foreman-postgresql-1.6.0.13-1.el6sat.noarch foreman-proxy-1.6.0.6-1.el6sat.noarch foreman-vmware-1.6.0.13-1.el6sat.noarch katello-1.5.0-25.el6sat.noarch katello-ca-1.0-1.noarch katello-certs-tools-1.5.5-1.el6sat.noarch katello-installer-0.0.44-1.el6sat.noarch pulp-katello-plugins-0.3-1.el6sat.noarch ruby193-rubygem-foreman_bootdisk-2.0.6-1.1.el6sat.noarch ruby193-rubygem-foreman_discovery-1.3.0-0.1.rc2.el6sat.noarch ruby193-rubygem-foreman_hooks-0.3.5-2.el6sat.noarch ruby193-rubygem-foreman_redhat_access-0.0.4-1.el6sat.noarch ruby193-rubygem-foreman_tasks-0.5.7-2.el6sat.noarch ruby193-rubygem-katello-1.5.0-51.el6sat.noarch rubygem-hammer_cli_foreman-0.1.1-5.el6sat.noarch rubygem-hammer_cli_foreman_tasks-0.0.3-2.el6sat.noarch rubygem-hammer_cli_katello-0.0.4-4.el6sat.noarch	
How reproducible: 100%	
Steps to Reproduce: 1. Open "katello kickstart default for rhel" provisioning template	
Actual results: %packages --ignoremissing yum dhclient ntp wget @Core puppet	
Expected results: %packages --ignoremissing	

yum  
dhclient  
ntp  
wget  
@Core

**Additional info:**

puppet only becomes available after registration with an activation key, as it is not in the RHEL kickstart repo (it's part of rh-common").

**Related issues:**

Related to Katello - Bug #7049: Puppet not being installed in kickstart katello

**Duplicate**

**Associated revisions**

**Revision 6b648f8f - 08/01/2014 06:32 AM - Stephen Benjamin**

fixes #6880 - remove puppet from packages section

**Revision 194ed43e - 08/04/2014 10:07 AM - Stephen Benjamin**

Merge pull request #4516 from stbenjam/6880

fixes #6880 - remove puppet from packages section

**History**

**#1 - 08/01/2014 06:59 AM - The Foreman Bot**

- Status changed from *New* to *Ready For Testing*
- Target version set to *54*
- Pull request <https://github.com/Katello/katello/pull/4516> added
- Pull request deleted ( )

**#2 - 08/01/2014 04:26 PM - Eric Helms**

- Triaged changed from *No* to *Yes*

**#3 - 08/04/2014 11:01 AM - Anonymous**

- Status changed from *Ready For Testing* to *Closed*
- % Done changed from *0* to *100*

Applied in changeset [katello|6b648f8f30c7af40771668aada4dd5a3e7a2aec5](#).

**#4 - 08/04/2014 03:11 PM - Partha Aji**

- Assignee changed from *Partha Aji* to *Stephen Benjamin*

**#5 - 08/12/2014 11:22 AM - Leah Fisher**

Due to this change, we are now not trying to install puppet at all, but are expecting puppet to be configured if puppet\_enable is true. Don't we need a yum install puppet before we start configuring puppet?

**#6 - 08/12/2014 12:18 PM - Stephen Benjamin**

It's there.

[https://github.com/Katello/katello/blob/master/app/views/foreman/unattended/kickstart-katello\\_rhel.erb#L91](https://github.com/Katello/katello/blob/master/app/views/foreman/unattended/kickstart-katello_rhel.erb#L91)

**#7 - 08/12/2014 12:20 PM - Stephen Benjamin**

Ah, I see, it's not in the other one:

<https://github.com/Katello/katello/blob/master/app/views/foreman/unattended/kickstart-katello.erb>

Can you file a separate issue please?

In reality, these templates are 90+% similar and should just be turned into one, no need to have separate templates for CentOS and RHEL.

**#8 - 08/14/2014 10:15 AM - Eric Helms**

- Related to Bug #7049: Puppet not being installed in kickstart katello added

**#9 - 08/22/2014 09:24 AM - Eric Helms**

- translation missing: en.field\_release set to 13