

Katello - Bug #6880

katello/satellite kickstart default for rhel includes puppet in packages list, branding

08/01/2014 06:57 AM - Stephen Benjamin

<div><div>Status:</div><div>Closed</div></div> <div><div>Priority:</div><div>Normal</div></div> <div><div>Assignee:</div><div>Stephen Benjamin</div></div> <div><div>Category:</div><div>Hosts</div></div> <div><div>Target version:</div><div>Katello 2.0</div></div> <div><div>Difficulty:</div><div></div></div> <div><div>Triaged:</div><div>Yes</div></div> <div><div>Bugzilla link:</div><div>1102864</div></div> <div><div>Pull request:</div><div>https://github.com/Katello/katello/pull/4516</div></div>	<div><div>Fixed in Releases:</div><div></div></div> <div><div>Found in Releases:</div><div></div></div> <div><div>Red Hat JIRA:</div><div></div></div>
<div><div>Description</div><div>Cloned from https://bugzilla.redhat.com/show_bug.cgi?id=1102864</div><div>Description of problem:</div><div>the "Katello kickstart default for RHEL" template includes puppet in the packages list</div><div>Version-Release number of selected component (if applicable):</div><div>foreman-1.6.0.13-1.el6sat.noarch foreman-compute-1.6.0.13-1.el6sat.noarch foreman-gce-1.6.0.13-1.el6sat.noarch foreman-libvirt-1.6.0.13-1.el6sat.noarch foreman-ovirt-1.6.0.13-1.el6sat.noarch foreman-postgresql-1.6.0.13-1.el6sat.noarch foreman-proxy-1.6.0.6-1.el6sat.noarch foreman-vmware-1.6.0.13-1.el6sat.noarch katello-1.5.0-25.el6sat.noarch katello-ca-1.0-1.noarch katello-certs-tools-1.5.5-1.el6sat.noarch katello-installer-0.0.44-1.el6sat.noarch pulp-katello-plugins-0.3-1.el6sat.noarch ruby193-rubygem-foreman_bootdisk-2.0.6-1.1.el6sat.noarch ruby193-rubygem-foreman_discovery-1.3.0-0.1.rc2.el6sat.noarch ruby193-rubygem-foreman_hooks-0.3.5-2.el6sat.noarch ruby193-rubygem-foreman-redhat_access-0.0.4-1.el6sat.noarch ruby193-rubygem-foreman-tasks-0.5.7-2.el6sat.noarch ruby193-rubygem-katello-1.5.0-51.el6sat.noarch rubygem-hammer_cli_foreman-0.1.1-5.el6sat.noarch rubygem-hammer_cli_foreman_tasks-0.0.3-2.el6sat.noarch rubygem-hammer_cli_katello-0.0.4-4.el6sat.noarch</div><div>How reproducible:</div><div>100%</div><div>Steps to Reproduce:</div><div>1. Open "katello kickstart default for rhel" provisioning template</div><div>Actual results:</div><div>%packages --ignoremissing yum dhclient ntp wget @Core puppet</div><div>Expected results:</div><div>%packages --ignoremissing</div></div>	

yum
dhclient
ntp
wget
@Core

Additional info:

puppet only becomes available after registration with an activation key, as it is not in the RHEL kickstart repo (it's part of rh-common").

Related issues:

Related to Katello - Bug #7049: Puppet not being installed in kickstart katello

Duplicate

Associated revisions

Revision 6b648f8f - 08/01/2014 06:32 AM - Stephen Benjamin

fixes #6880 - remove puppet from packages section

Revision 194ed43e - 08/04/2014 10:07 AM - Stephen Benjamin

Merge pull request #4516 from stbenjam/6880

fixes #6880 - remove puppet from packages section

History

#1 - 08/01/2014 06:59 AM - The Foreman Bot

- Status changed from New to Ready For Testing
- Target version set to 54
- Pull request <https://github.com/Katello/katello/pull/4516> added
- Pull request deleted ()

#2 - 08/01/2014 04:26 PM - Eric Helms

- Triaged changed from No to Yes

#3 - 08/04/2014 11:01 AM - Anonymous

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Applied in changeset [katello|6b648f8f30c7af40771668aada4dd5a3e7a2aec5](#).

#4 - 08/04/2014 03:11 PM - Partha Aji

- Assignee changed from Partha Aji to Stephen Benjamin

#5 - 08/12/2014 11:22 AM - Leah Fisher

Due to this change, we are now not trying to install puppet at all, but are expecting puppet to be configured if puppet_enable is true. Don't we need a yum install puppet before we start configuring puppet?

#6 - 08/12/2014 12:18 PM - Stephen Benjamin

It's there.

https://github.com/Katello/katello/blob/master/app/views/foreman/unattended/kickstart-katello_rhel.erb#L91

#7 - 08/12/2014 12:20 PM - Stephen Benjamin

Ah, I see, it's not in the other one:

<https://github.com/Katello/katello/blob/master/app/views/foreman/unattended/kickstart-katello.erb>

Can you file a separate issue please?

In reality, these templates are 90+% similar and should just be turned into one, no need to have separate templates for CentOS and RHEL.

#8 - 08/14/2014 10:15 AM - Eric Helms

- Related to Bug #7049: Puppet not being installed in kickstart katello added

#9 - 08/22/2014 09:24 AM - Eric Helms

- translation missing: en.field_release set to 13