Foreman - Bug #6914

puppet class with numeric name can neither be edited nor deleted.

08/04/2014 10:14 AM - Dominic Cleal

Status:	Closed		<u>.</u>	
Priority:	Normal			
Assignee:	Norma			
-	Web Interface			
Category:	Web Interface			
Target version:	1.7.0			
Difficulty:		Fixed in Releases:		
Triaged:		Found in Releases:		
Bugzilla link:	1126473	Red Hat JIRA:		
Pull request:				
Description				
Cloned from https://bugzilla.redhat.com/show_bug.cgi?id=1126473 Description of problem:				
Puppet class which contains names with numeric value can neither be edited nor deleted.				
tail -f /var/log/foreman/production.log				
Processing by PuppetclassesController#destroy as HTML Parameters: {"authenticity_token"=>"LS/dL1pfhWqLRML7GMd72iCb8bN/ZAk1UaykFrtRIPY=", "id"=>"02197821"} Rendered common/404.html.erb within layouts/application (2.7ms) Rendered layouts/base.html.erb (3.2ms) Completed 404 Not Found in 47ms (Views: 12.4ms ActiveRecord: 3.9ms)				
Version-Release number of selected component (if applicable): sat6-GA-snap3				
How reproducible: always				
Steps to Reproduce: 1.				
2. 3.				
Actual results: puppet classes created with numeric values can neither be edited nor deleted.				
Expected results:				
puppet classes once created should be allowed to be edited and deleted.				
Additional info:				
Related issues:				
Related to Foreman - Bug #	#6890: Puppet environment cannot be edited wh	en name	Closed	08/01/2014
Related to Foreman - Featu	are #4386: implement gem friendly_id to simply fi	nd	Closed	02/19/2014
Has duplicate Foreman - Br	ug #7414: Can't delete class if contains special c	ha	Duplicate	09/11/2014

History

#1 - 08/04/2014 10:14 AM - Dominic Cleal

- Related to Bug #6890: Puppet environment cannot be edited when name is only numeric added

#2 - 08/04/2014 10:14 AM - Dominic Cleal

- Category set to Web Interface

#3 - 08/25/2014 04:11 PM - b sh

I would like to try and fix this (just for fun).

From the log, I have noticed a strange behavior. If the name contains only numerical characters, ActiveRecord runs a query that looks for an id that matches. Otherwise, it goes over the records' name attribute and compares.

I will try to figure out a nice way to fix this.

BR.

The log:

Started GET "/puppetclasses/123bla/edit" for 172.17.42.1 at 2014-08-25 19:37:46 +0000 Processing by PuppetclassesController#edit as HTML Parameters: {"id"=>"123bla"} Puppetclass Load (0.3ms) SELECT "puppetclasses".* FROM "puppetclasses" WHERE "puppetclasses"."name" = '123bla' ORDER BY puppetclasses.name LIMIT 1

Started GET "/puppetclasses/123/edit" for 172.17.42.1 at 2014-08-25 19:37:53 +0000 Processing by PuppetclassesController#edit as HTML Parameters: {"id"=>"123"} Puppetclass Load (0.1ms) SELECT "puppetclasses".* FROM "puppetclasses" WHERE "puppetclasses"."id" = ? ORDER BY puppetclasses.name LIMIT 1 "id", "123" not found: Couldn't find Puppetclass with id=123

#4 - 08/26/2014 07:04 AM - b sh

OK, I guess this is the reason for that behavior.

•••

@puppetclass = (params[:id] =~ /A\d+\Z/) ? pc.find(params[:id]) : pc.find_by_name(params[:id])

If the `params[:id]` is a number then we use `find`. Otherwise, we use `find_by_name`. We probably should change this logic, to fix this bug.

BR.

#5 - 08/31/2014 06:51 AM - The Foreman Bot

- Status changed from New to Ready For Testing
- Target version set to 1.7.4
- Pull request https://github.com/theforeman/foreman/pull/1723 added
- Pull request deleted ()

#6 - 09/10/2014 07:21 AM - Anonymous

- Target version changed from 1.7.4 to 1.7.3

#7 - 09/11/2014 11:53 AM - Dominic Cleal

- Has duplicate Bug #7414: Can't delete class if contains special characters added

#8 - 09/21/2014 03:52 AM - Ohad Levy

- Status changed from Ready For Testing to New
- Target version deleted (1.7.3)
- Pull request added
- Pull request deleted (https://github.com/theforeman/foreman/pull/1723)

upstream pull request has been closed.

#9 - 11/10/2014 03:27 AM - Dominic Cleal

- Status changed from New to Closed
- Target version set to 1.7.2
- translation missing: en.field_release set to 21

Fixed via <u>#4386</u>.

#10 - 11/10/2014 03:28 AM - Dominic Cleal

- Related to Feature #4386: implement gem friendly_id to simply find by id, name, label, etc added