# Katello - Bug #6917

# system/host-collection API should take database id rather than the uuid

08/04/2014 11:59 AM - dustin tsang

Status:	Rejected	
Priority:	Normal	

Assignee:

Category: API

Target version:

Difficulty: medium Fixed in Releases:

Triaged: Yes Found in Releases:

Bugzilla link: Red Hat JIRA:

Pull request:

### Description

- all calls should pass the database id rather than the uuid
- all routes should take the database id
- hammer cli should use the database id

#### Related issues:

Related to Katello - Bug #6842: confusing content host identifiers Closed 07/30/2014

Related to Katello - Tracker #8161: Host Unification Rejected

### **History**

## #1 - 08/04/2014 12:02 PM - dustin tsang

- Related to Bug #6842: confusing content host identifiers added

## #2 - 08/04/2014 12:56 PM - David Davis

Just talked to Justin and he brought up a good point: long term we'll probably use host id (from the hosts table) so this may not be necessary.

#### #3 - 08/04/2014 10:47 PM - Eric Helms

- Triaged changed from No to Yes

#### #4 - 12/21/2015 11:49 AM - Eric Helms

- translation missing: en.field\_release set to 114

#### #5 - 12/21/2015 11:49 AM - Eric Helms

- Related to Tracker #8161: Host Unification added

#### #6 - 08/28/2019 08:13 PM - John Mitsch

- Status changed from New to Rejected
- Target version deleted (Katello Backlog)

Thanks for reporting this issue. This issue was created over 4 years ago and hasn't seen an update in 1 year. We are closing this in an effort to keep a realistic backlog. Please open up a new issue that includes a link to this issue if you feel this still needs to be addressed. We can then triage the new issue and reassess.

05/17/2024 1/1