

## Foreman - Feature #6930

### Set 'vendor' on Foreman provisioning templates

08/05/2014 06:01 AM - Stephen Benjamin

|  |                           |
|--|---------------------------|
| <b>Status:</b> Rejected  |                           |
| <b>Priority:</b> Normal  |                           |
| <b>Assignee:</b> Stephen Benjamin  |                           |
| <b>Category:</b> Templates   |                           |
| <b>Target version:</b>   |                           |
| <b>Difficulty:</b>   | <b>Fixed in Releases:</b> |
| <b>Triaged:</b>  | <b>Found in Releases:</b> |
| <b>Bugzilla link:</b>  | <b>Red Hat JIRA:</b>      |
| <b>Pull request:</b> <a href="https://github.com/foreman/foreman/pull/1652">https://github.com/foreman/foreman/pull/1652</a>                                       |                           |
| <b>Description</b>   |                           |
| Explicitly set the 'vendor' flag on Foreman templates to 'Foreman'   |                           |
| This is another thing for downstream, we want to remove all Kickstart templates except the official defaults, but the problem is Foreman names are really generic. |                           |
| If seeds is run a second time, and in between a user has created a kickstart called "Kickstart default", we'll end up deleting it and they won't be happy.         |                           |
| There's no change to Foreman users by setting this field.  |                           |

#### History

##### #1 - 08/05/2014 06:09 AM - The Foreman Bot

- Status changed from New to Ready For Testing
- Target version set to 1.7.5
- Pull request <https://github.com/foreman/foreman/pull/1652> added
- Pull request deleted ()

##### #2 - 08/06/2014 04:21 AM - Dominic Cleal

- Status changed from Ready For Testing to Rejected
- Target version deleted (1.7.5)