

Foreman - Feature #83

add environment to external nodes parameters

11/18/2009 03:47 PM - Ohad Levy

Status: Closed	
Priority: Normal	
Assignee: Ohad Levy	
Category: External Nodes	
Target version: 0.1-3	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
When using Foreman for external nodes, it should provide the environment name as a parameter	

Associated revisions

Revision 8a815cdc - 11/18/2009 03:50 PM - Ohad Levy

fixes #83 - add environment to external nodes parameter

Revision 16d9312d - 11/25/2009 02:24 AM - Ohad Levy

fixes #83, environment is hash by it self, not a parameter

History

#1 - 11/18/2009 03:54 PM - Ohad Levy

- Status changed from Assigned to Ready For Testing

- % Done changed from 0 to 100

Applied in changeset [8a815cdc4b0d20c9a625c0eb123a8d92a1a239ef](#).

#2 - 11/18/2009 03:55 PM - Ohad Levy

- Status changed from Ready For Testing to Closed

#3 - 11/18/2009 03:55 PM - Ohad Levy

- Subject changed from add environment to external nodes parameter to add environment to external nodes parameters