

Foreman - Feature #863

add ability to restrict ldap authentication to a security group

04/22/2011 03:58 PM - Corey Osman

Status:	Closed	Fixed in Releases: Found in Releases: Red Hat JIRA:
Priority:	Normal	
Assignee:		
Category:	Authentication	
Target version:	1.3.0	
Difficulty:		
Triaged:		
Bugzilla link:		
Pull request:		
Description		
<p>I would like to be able to specify ldap authentication to only do name lookups by a specific group:</p> <p>example:</p> <p>can I restrict by group like this : cn=foremanadmins, ou=Security Groups, dc=MYDOMAIN,dc=CORP</p> <p>I currently have this enabled with my subversion setup so I was hoping I could do it on foreman as well.</p>		
Related issues:		
Related to Foreman - Feature #813: Support AD group membership for authorizat...		Closed 03/31/2011

Associated revisions

Revision 4e4671ce - 08/15/2013 04:10 PM - Nils Domrose

fixes #863 - added ldap_filter to LDAP auth sources to filter lookups using RFC 2254 filters

History

#1 - 09/30/2011 05:52 AM - Benjamin Papillon

And also important, affect role based on LDAP group.

If it's possible to create a LDAP Group type,(auto create user option enabled) then when the user from a group connect for the first time, the good role is automatically assigned.

#2 - 10/20/2011 03:40 PM - monte olvera

I would also like to have ldap auth restricted to members of an ldap group.

#3 - 03/15/2013 01:15 PM - Karl Vollmer

I need this for work, so I put \$100 down for anyone who will complete this functionality.

<https://www.bountysource.com/#issues/116703-add-ability-to-restrict-ldap-authentication-to-a-security-group>

#4 - 03/27/2013 03:00 AM - Mikael Fridh

just a bit of a pseudo-code version of doing it (untested): https://github.com/frimik/foreman/compare/863-ldap_group_restriction

The actual search method code was tested against Active Directory before I hackishly put this example in the Foreman code though as I recently built some puppet functions to get canonical user and group information from Active Directory with net-ldap.

Perhaps it can inspire someone to clean it up, make it work and add it as a configuration setting?

#5 - 08/15/2013 06:41 AM - Nils Domrose

<https://github.com/theforeman/foreman/pull/846>

#6 - 08/15/2013 06:50 AM - Dominic Cleal

- Description updated

- Category set to Authentication
- Status changed from New to Ready For Testing

#7 - 08/15/2013 05:04 PM - Dominic Cleal

- Target version set to 1.3.0

#8 - 08/15/2013 05:31 PM - Anonymous

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Applied in changeset [4e4671ce95fc666b3c087351177247cb39d1a4c3](#).