Foreman - Bug #866

Defaults file has windows line endings

04/25/2011 01:21 PM - Andrew Thompson

Status: Rejected
Priority: Normal

Assignee: Jochen Schalanda

Category: Packaging

Target version:

Difficulty: Fixed in Releases:
Triaged: Found in Releases:
Bugzilla link: Red Hat JIRA:

Pull request:

Description

I installed the latest package from the testing repo and the /etc/default/foreman has Windows line endings. This is causing the init.d scripts to fail. After converting the line endings, the init scripts work fine.

puser@puppetga:~\$ cat -e /etc/default/foreman

1. Start foreman on boot?^M\$

START=yes^M\$

^M\$

2. the location where foreman is installed^M\$

#FOREMAN_HOME=/usr/share/foreman^M\$

^M\$

3. the network interface which foreman web server is running at^M\$

#FOREMAN_IFACE=0.0.0.0^M\$

^M\$

- 4. the port which foreman web server is running at^M\$
- 5. note that if the foreman user is not root, it has to be a > 1024^M\$ #FOREMAN PORT=3000^M\$

^M\$

6. the user which runs the web interface^M\$

#FOREMAN USER=foreman^M\$

^M\$

7. the rails environment in which foreman runs^M\$

#FOREMAN ENV=production^M\$

History

#1 - 04/25/2011 04:03 PM - Ohad Levy

thats odd, the git checked in version does not have a windows ending.. @josci, any idea?

#2 - 05/02/2011 05:34 AM - Ohad Levy

- Status changed from New to Feedback

#3 - 05/02/2011 06:15 AM - Jochen Schalanda

I can't reproduce the described error. Line endings in our source repository and in the package files are POSIX style (single "\n").

Andrew, please purge Foreman (apt-get purge foreman), clean your package cache (apt-get clean) and reinstall Foreman on your system, and check if the wrong line endings are still there.

#4 - 05/21/2011 01:05 PM - Jochen Schalanda

- Category set to Packaging
- Status changed from Feedback to Rejected
- Assignee set to Jochen Schalanda

05/12/2024 1/2

I still can't reproduce the described problem. If it occurs again, please write a comment to this issue.

05/12/2024 2/2