Foreman - Feature #8720

Add disable_dhcp_validations global setting

12/16/2014 04:12 AM - Lukas Zapletal

Status:	Rejected				
Priority:	Normal				
Assignee:	Ori Rabin				
Category:	Orchestration				
Target version:					
Difficulty:	easy	Fixed in Release	Fixed in Releases:		
Triaged:		Found in Releas	ses:		
Bugzilla link:		Red Hat JIRA:			
Pull request:					
Description					
workaround, we co screen with Overric	ur DHCP validation code in both Discove uld implement a simple global setting tha le red button. We will keep this turned of proper soulution is found.	at would disable DHCP val	alidator which is causing the "DHCP	Conflict"	
Related issues:					
Related to Foreman - Bug #5637: DHCP conflicts triggered for non-conflicting			Closed 05/08/2014		

History

#1 - 12/16/2014 04:13 AM - Lukas Zapletal

- Related to Bug #5701: Creating a host without OS set gives undefined method `boot_filename' exception added

#2 - 02/25/2015 03:54 AM - Lukas Zapletal

- Related to deleted (Bug #5701: Creating a host without OS set gives undefined method `boot_filename' exception)

#3 - 02/25/2015 04:17 AM - Lukas Zapletal

- Status changed from New to Rejected

This might be solved already with http://projects.theforeman.org/issues/5637

I am going to close this one.

#4 - 02/25/2015 04:18 AM - Lukas Zapletal

- Related to Bug #5637: DHCP conflicts triggered for non-conflicting leases added