

## Smart Proxy - Feature #877

### clean puppet node related info api

05/04/2011 04:45 AM - Ohad Levy

<b>Status:</b> Rejected	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Category:</b> Puppet	
<b>Target version:</b>	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b> No	<b>Found in Releases:</b>
<b>Bugzilla link:</b>	<b>Red Hat JIRA:</b>
<b>Pull request:</b>	
<b>Description</b> the proxy should be able to delete all puppet host data from a puppet master - for example: <ul style="list-style-type: none"><li>• facts</li><li>• reports</li><li>• node yaml</li><li>• bucket?</li></ul> this is important that foreman wont re-import those hosts if they get deleted.	
<b>Related issues:</b> Precedes Foreman - Feature #819: foreman should delete puppet node / facts in... <b>Closed</b> <b>05/05/2011</b> <b>05/05/2011</b>	

#### History

##### #1 - 05/26/2011 10:23 AM - Ohad Levy

- Target version changed from 0.2 to 0.3

##### #2 - 09/05/2011 04:19 PM - Ohad Levy

- Target version deleted (0.3)

##### #3 - 10/16/2023 12:01 PM - Ewoud Kohl van Wijngaarden

- Status changed from New to Rejected

- Description updated

- Triaged set to No