

## Foreman - Bug #8919

### Allow specifying custom resource name for authorization purposes from within a plugin/model

01/13/2015 03:08 AM - Ivan Necas

|  |                           |
|--|---------------------------|
| <b>Status:</b> New   |                           |
| <b>Priority:</b> Normal  |                           |
| <b>Assignee:</b>   |                           |
| <b>Category:</b> Users, Roles and Permissions  |                           |
| <b>Target version:</b>   |                           |
| <b>Difficulty:</b>   | <b>Fixed in Releases:</b> |
| <b>Triaged:</b> Yes  | <b>Found in Releases:</b> |
| <b>Bugzilla link:</b>  | <b>Red Hat JIRA:</b>      |
| <b>Pull request:</b>   |                           |
| <b>Description</b><br>By default when determining the resource_type to be used for a model authorization, the name of the model class is used. This behaviour is hard to change from within a plugin, as the logic is included in just one method <a href="https://github.com/foreman/foreman/blob/1.7.1/app/services/authorizer.rb#L115-L127">https://github.com/foreman/foreman/blob/1.7.1/app/services/authorizer.rb#L115-L127</a> .<br><br>My case is the foreman-tasks ( <a href="http://projects.theforeman.org/issues/4450/">http://projects.theforeman.org/issues/4450/</a> ) where there is an STI on the task model, so the default name would be `dynflow_task`, while the desired name is just `task`. |                           |

#### History

##### #1 - 01/13/2015 03:34 AM - Dominic Cleal

- Category set to Users, Roles and Permissions

##### #2 - 09/29/2016 04:16 AM - Dominic Cleal

<https://github.com/foreman/foreman/pull/2060> was closed due to inactivity.

##### #3 - 05/17/2017 05:42 PM - Anonymous

- Status changed from Assigned to New

- Assignee deleted (Ivan Necas)

##### #4 - 07/23/2018 11:29 AM - Tomer Brisker

- Target version deleted (1.7.2)

##### #5 - 06/17/2021 12:29 PM - Leos Stejskal

- Triaged changed from No to Yes