

## Foreman - Bug #9045

### Migration PuppetclassTotalHosts does use a rake task

01/20/2015 03:13 AM - Lukas Zapletal

<b>Status:</b> Rejected	
<b>Priority:</b> Normal	
<b>Assignee:</b> Lukas Zapletal	
<b>Category:</b> DB migrations	
<b>Target version:</b>	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b>	<b>Found in Releases:</b>
<b>Bugzilla link:</b>	<b>Red Hat JIRA:</b>
<b>Pull request:</b> <a href="https://github.com/foreman/foreman/pull/2098">https://github.com/foreman/foreman/pull/2098</a>	
<b>Description</b>	
<p>It is unable to migrate a database that was not yet seeded but containing some Puppetclasses (e.g. older version of Foreman).</p> <p>Since the Rake task is simple, the solution is to copy the code into migration:</p> <pre>desc "Correct hosts counts for all classes in case they are wrong" task :fix_total_hosts =&gt; :environment do   if Puppetclass.count &gt; 0     User.current = User.anonymous_admin     Puppetclass.all.each(&amp;:update_total_hosts)   end end</pre>	

#### History

##### #1 - 01/20/2015 03:55 AM - The Foreman Bot

- Status changed from New to Ready For Testing
- Pull request <https://github.com/foreman/foreman/pull/2098> added
- Pull request deleted ()

##### #2 - 03/23/2016 04:03 AM - Lukas Zapletal

- Status changed from Ready For Testing to Closed

Closing old ticket.

##### #3 - 03/23/2016 04:04 AM - Dominic Cleal

- Status changed from Closed to Rejected