# Foreman - Bug #907

## Foreman behind apache with userauth.

05/17/2011 06:22 PM - shawn taaj

| | | | |
|---|---|---|---|
| **Status:** | Duplicate | | |
| **Priority:** | Normal | | |
| **Assignee:** | | | |
| **Category:** | | | |
| **Target version:** | | | |
| **Difficulty:** | | **Fixed in Releases:** | |
| **Triaged:** | | **Found in Releases:** | |
| **Bugzilla link:** | | **Red Hat JIRA:** | |
| **Pull request:** | | | |

### Description

So I am using this apache config for foreman.

<VirtualHost *:80>
ServerName dashboard.server.com
ServerAlias dashboard
DocumentRoot /opt/foreman/public
RailsAutoDetect On
AddDefaultCharset UTF-8
Alias /certs /opt/foreman/public/certs.php

```
&lt;Directory /opt/foreman/public/&gt;
        Options ExecCGI
        AllowOverride None
        AuthType Basic
        AuthName "Dashboard Access"
        AuthUserFile /opt/foreman/foreman.auth
        Require valid-user
                Options FollowSymLinks
                AllowOverride All
                Order allow,deny
                allow from all
        &lt;/Directory&gt;
&lt;/VirtualHost&gt;
```

When going to dashboard.server.com it requests for the user name and password, if you click cancel a bunch of times it will drop you into the public folder. Not sure if this is a apache issue or rails.

### Related issues:

| | | |
|---|---|---|
| Has duplicate Foreman - Bug #908: Foreman behind apache with userauth. | **Duplicate** | **05/17/2011** |
| Has duplicate Foreman - Feature #1300: Foreman should support HTTP Authentifi... | **Closed** | **11/07/2011** |

## History

#### #1 - 05/18/2011 01:03 PM - Ohad Levy

*- Status changed from New to Feedback*

*- Priority changed from High to Normal*

any reason why you are not using the built in foreman authentication?

simply add to your foreman settings file

:login: true

#### #2 - 11/30/2011 05:08 AM - Yun Zheng Hu

I fixed the Apache Auth using the Location directive instead of the Directory.

I have configured it as following:

```
<Directory /var/www/foreman-0.4/public>
    Order Deny,Allow
    Allow from all
</Directory>

<Location "/">
    SSLRequireSSL
    AuthType "Digest"
    AuthName "Restricted Access"
    AuthUserFile /etc/htdigest.users
    require valid-user
    Order allow,deny
    Satisfy any
</Location>
```

Problem is that the user authentication is not passed to foreman, so everything you do is still under the Admin user if you look in the foreman Audit logs.
Is it possible to pass the user authentication from the webserver to the foreman web application?

**#3 - 06/28/2012 06:52 AM - Benjamin Papillon**

The problem should be resolved with bug http://theforeman.org/issues/1300
It is available in 1.0 release (currently RC)

**#4 - 06/28/2012 09:20 AM - Ohad Levy**

*- Status changed from Feedback to Duplicate*