

Foreman - Feature #9197

Show which settings are non-default

02/03/2015 06:45 AM - Ewoud Kohl van Wijngaarden

Status:	Resolved	
Priority:	Normal	
Assignee:		
Category:	Settings	
Target version:		
Difficulty:		Fixed in Releases:
Triaged:	No	Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:		
Description <p>As a user it would be good to know which settings I changed or that are no longer non-default which can happen because foreman doesn't update settings on existing installs.</p> <p>You can take inspiration from firefox's about:config which shows them as bold. There should also be a way to restore the default. Showing the default or a restore default button would work.</p>		
Related issues: <p>Is duplicate of Foreman - Feature #24835: Non-default settings should be bolded.</p>		
		Closed

History

#1 - 02/05/2015 04:24 AM - Dominic Cleal

- Category set to Settings

#2 - 02/05/2015 12:43 PM - The Foreman Bot

- Status changed from New to Ready For Testing

- Pull request <https://github.com/foreman/foreman/pull/2133> added

- Pull request deleted ()

#3 - 02/06/2015 03:29 AM - Dominic Cleal

- Assignee set to Greg Sutcliffe

#4 - 03/16/2016 04:30 PM - Tomer Brisker

- Status changed from Ready For Testing to New

- Pull request deleted (<https://github.com/foreman/foreman/pull/2133>)

#5 - 09/10/2019 05:09 PM - Ewoud Kohl van Wijngaarden

- Is duplicate of Feature #24835: Non-default settings should be bolded. added

#6 - 09/10/2019 05:11 PM - Ewoud Kohl van Wijngaarden

- Status changed from New to Resolved

- Assignee deleted (Greg Sutcliffe)

This has been implemented via [#24835](#) almost a year ago.