Foreman - Bug #9398

Invalid MySQL query after login on 1.7.x

02/16/2015 09:55 AM - Martin Matuška

Status:	Duplicate			
Priority:	Normal			
Assignee:				
Category:	Database			
Target version:	1.7.2			
Difficulty:		**Fixed in Releases:**		
Triaged:		**Found in Releases:**	1.7.1	
Bugzilla link:		**Red Hat JIRA:**		
Pull request:				

Description

For users with special roles, directly after login, this error appears:

Mysql2::Error: Unknown column 'hostgroups.title' in 'where clause': SELECT COUNT FROM (SELECT `reports`.`id` AS count_column FROM `reports` LEFT OUTER JOIN `hosts` ON `hosts`.`id` = `reports`.`host_id` AND `hosts`.`type` IN ('Host::Managed') WHERE `reports`.`host_id` IN (SELECT `hosts`.`id` FROM `hosts` WHERE `hosts`.`organization_id` IN (2) AND `hosts`.`type` IN ('Host::Managed') AND ((((`hostgroups`.`title` LIKE 'Group%') AND (`hosts`.`organization_id` = '2')) OR (`hostgroups`.`name` = BINARY 'Group1') OR (`hostgroups`.`name` = BINARY 'Group2'))) ORDER BY `hosts`.`name` ASC) AND (status <> 0) AND ((`reports`.`reported_at` >= '2015-02-10')) LIMIT 6) subquery_for_count

The subquery:
SELECT `hosts`.`id` FROM `hosts` WHERE `hosts`.`organization_id` IN (2) AND `hosts`.`type` IN ('Host::Managed') AND ((((`hostgroups`.`title` LIKE 'Group%') AND (`hosts`.`organization_id` = '2')) OR (`hostgroups`.`name` = BINARY 'Group1') OR (`hostgroups`.`name` = BINARY 'Group2'))) ORDER BY `hosts`.`name` ASC

does not join in the hostgroups table, requests columns from it though.

Related issues:

Is duplicate of Foreman - Bug #8817: PGError: ERROR: missing FROM-clause entr...	**Closed**	**12/31/2014**

History

#1 - 02/16/2015 09:58 AM - Dominic Cleal

- Is duplicate of Bug #8817: PGError: ERROR: missing FROM-clause entry for table "hostgroups" added

#2 - 02/16/2015 09:59 AM - Dominic Cleal

- Status changed from New to Duplicate

Thanks, tracked under [#8817](#8817).