# Foreman - Bug #941

# LDAP Auth source password stored cleartext

05/24/2011 05:07 PM - Jacob McCann

Status:	Rejected	
Priority:	Normal	
Assignee:		
Category:		
Target version:		
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:		

### Description

When using a LDAP Auth source and specifying a username/password the password is stored as cleartext in the DB. However, for local user auth, passwords are being stored as a hash. Please update to have LDAP Auth source passwords hashed also.

#### **Associated revisions**

## Revision 403d2d8d - 04/29/2021 12:03 PM - Nacho Barrientos

Allow customising the list of HTTP headers to unset

This patchset adds a new parameter to `foreman::config::apache` called `request\_headers\_to\_unset` containing a list of HTTP headers to be unset before proxy passing the request to the application. See the associated issue for more information.

Fixes #941

# History

## #1 - 07/17/2011 10:26 AM - Ohad Levy

- Status changed from New to Feedback

since we need to authenticate with, I'm not sure if you can store it in an encrypted mode which cant be decrypted easily.

since decryption needs a key to decrypt, and foreman needs access to that key, anyone could simply use the key to unlock the password back to clear text.

the best way around this problem, is simply to use the user credeintails to authenticate to the Idap server (hence no Idap password and use of \$login as the Idap user).

#### #2 - 07/18/2011 09:00 AM - Jacob McCann

I am using the method you suggested so this does not impact me anymore.

I'm not sure completely if I understand the reasoning for storing it as plaintext in the DB still though, but this is due to a lack of knowledge on my part. If there are limitations then so be it.

#### #3 - 07/18/2011 09:45 AM - Ohad Levy

- Status changed from Feedback to Rejected

05/03/2024 1/1