

Foreman - Bug #9603

Setting called websockets_encrypt does not work correctly

03/02/2015 07:33 AM - Lukas Zapletal

Status:	Closed	Fixed in Releases: Found in Releases: Red Hat JIRA:
Priority:	Normal	
Assignee:	Lukas Zapletal	
Category:	Compute resources	
Target version:	1.10.0	
Difficulty:	trivial	
Triaged:		
Bugzilla link:		
Pull request:	https://github.com/theforeman/foreman/pull/2219	
Description		
When you set websockets_encrypt to false (via settings or even installer) and leave the websockets_ssl_cert/key settings as is (they default to puppet cert/key), console will not work. The flag not to encrypt the communication will be passed to the HTML5 component correctly, but the websocketify program will be always spawned with certificates, therefore dropping non-secured connection.		
Related issues:		
Related to Foreman - Bug #11120: MigrateWebsocketsSetting fails with ReadOnly...		Closed 07/15/2015
Related to Foreman - Bug #11121: websockets_encrypt validation fails with set...		Closed 07/15/2015
Has duplicate Foreman - Bug #10332: encrypt_websockets = off is not working		Duplicate 04/30/2015
Has duplicate Foreman - Bug #7557: websockets_encrypt setting is meaningless		Duplicate 09/20/2014

Associated revisions

Revision 97c34475 - 07/14/2015 03:36 AM - Lukas Zapletal

Fixes #9603 - fixed websockets_* set of settings

History

#1 - 03/02/2015 08:24 AM - Dominic Cleal

- Category changed from Web Interface to Compute resources

#2 - 03/02/2015 08:32 AM - Lukas Zapletal

- Subject changed from Websocketify spawner does not honor websockets_encrypt setting to Setting called websockets_encrypt does not work correctly

It's more complex, filed a patch already. Initially I set the Category to CR, but it did not seem like a good fit. Console could be better (as it can be bug in websocketify). Anyway, thanks :-)

#3 - 03/02/2015 08:34 AM - Dominic Cleal

That's OK, I usually use the CR category for console related things. Web Interface gets over-used :)

#4 - 04/30/2015 07:42 AM - Daniel Lobato Garcia

- Has duplicate Bug #10332: encrypt_websockets = off is not working added

#5 - 05/27/2015 11:19 AM - Dominic Cleal

- Status changed from New to Ready For Testing

- Pull request <https://github.com/theforeman/foreman/pull/2219> added

- Pull request deleted ()

#6 - 07/14/2015 03:37 AM - Dominic Cleal

- translation missing: en.field_release set to 63

#7 - 07/14/2015 04:02 AM - Lukas Zapletal

- Status changed from *Ready For Testing* to *Closed*
- % Done changed from 0 to 100

Applied in changeset [97c34475c9e674db6443b28e03a5e4d94d585f2e](#).

#8 - 07/15/2015 04:14 AM - Dominic Cleal

- Related to Bug #11120: *MigrateWebsocketsSetting* fails with *ReadOnlyRecord* when *websockets_encrypt* is in *settings.yaml* added

#9 - 07/15/2015 04:29 AM - Dominic Cleal

- Related to Bug #11121: *websockets_encrypt* validation fails with *settings.yaml* on empty DB added

#10 - 09/30/2015 08:52 AM - Stephen Benjamin

- Has duplicate Bug #7557: *websockets_encrypt* setting is meaningless added