

Packaging - Bug #9703

some rpms use %{dist} instead of %{?dist}

03/10/2015 02:05 PM - Anonymous

Status: Closed	
Priority: Low	
Assignee:	
Category: RPMs	
Target version:	
Difficulty: trivial	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link: 1292578	Red Hat JIRA:
Pull request: https://github.com/foreman/foreman-packaging/pull/572	
Description	
This is technically incorrect and is throwing errors downstream which need to be waived.	
ruby193-rubygem-safemode The dist tag should be of the form "%{?dist}", but instead found this: Release: 1%{dist}	

Associated revisions

Revision 8002a190 - 03/10/2015 02:06 PM - Jason Montleon

Fixes #9703 - change %{dist} to %{?dist}

Revision 43ea3afa - 03/11/2015 04:53 AM - Dominic Cleal

Merge pull request #572 from jmontleon/fix-dist-tags

Fixes #9703 - change %{dist} to %{?dist}

History

#1 - 03/10/2015 02:09 PM - The Foreman Bot

- Status changed from New to Ready For Testing
- Pull request <https://github.com/foreman/foreman-packaging/pull/572> added
- Pull request deleted ()

#2 - 03/10/2015 02:09 PM - Anonymous

<https://github.com/foreman/foreman-packaging/pull/572>

#3 - 03/11/2015 04:53 AM - Dominic Cleal

- Project changed from Foreman to Packaging
- Category changed from Packaging to RPMs
- Status changed from Ready For Testing to Closed
- % Done changed from 90 to 100

#4 - 12/18/2015 11:04 AM - Bryan Kearney

- Bugzilla link set to 1292578