

Smart Proxy - Bug #9711

bmc module does not full implement its api

03/10/2015 11:00 PM - Corey Osman

Status: Closed	
Priority: Normal	
Assignee: Corey Osman	
Category: BMC	
Target version: 1.9.0	
Difficulty: easy	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request: https://github.com/theforeman/smart-proxy/pull/264	
Description In the bmc code there are a few items tagged as #TODO. These times either need to be implemented or removed.	

Associated revisions

Revision 3fba6e10 - 03/20/2015 07:15 AM - Corey Osman

Fixes #9711 - bmc module does not full implement its api * adds additional logic around providers * implements /providers, /providers/installed, /host, / * the / returns a list of resources to use to help the user * catches a case where if the provider is nil, we can default to a provider and warn the user * changes the bmc_setup method to be public instead of private. * refactors the providers_installed? rubyipmi command to providers_installed

History

#1 - 03/20/2015 07:26 AM - Dominic Cleal

- Status changed from New to Ready For Testing
- translation missing: en.field_release set to 35
- Pull request <https://github.com/theforeman/smart-proxy/pull/264> added
- Pull request deleted ()

#2 - 03/20/2015 08:02 AM - Corey Osman

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Applied in changeset [3fba6e1021c6ed7f5c53d0db2d4bcfb3192b9980](#).